# End-of-Sale and End-of-Life Announcement for the Cisco Catalyst 3750G-24TS 1.5 Rack-Unit Stackable Switch

EOL6501

Cisco® announces the end-of-sale and end-of life dates for the Cisco Catalyst 3750G-24TS 1.5 Rack-Unit Stackable Switch. The last day to order the affected product(s) is March 16, 2009. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

This end-of-sale announcement applies only to the Cisco Catalyst 3750G-24TS-S and 3750G-24TS-E 1.5 rack-unit switches and does not affect other switches in the Catalyst 3750 Series.

**Table 1.** End-of-Life Milestones and Dates for the Cisco Catalyst 3750G-24TS 1.5 Rack-Unit Stackable Switch

| Milestone | Definition | Date |
|---|---|---|
| End-of-Life Announcement Date | The date the document that announces the end of sale and end of life of a product is distributed to the general public. | September 15, 2008 |
| End-of-Sale Date | The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date. | March 16, 2009 |
| Last Ship Date: HW | The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time. | June 14, 2009 |
| End of SW Maintenance Releases Date: HW | The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software. | March 16, 2010 |
| End of Routine Failure Analysis Date: HW | The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect. | March 16, 2010 |
| End of New Service Attachment Date: HW | For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract. | March 16, 2010 |
| End of Service Contract Renewal Date: HW | The last date to extend or renew a service contract for the product. | June 11, 2013 |
| Last Date of Support: HW | The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete. | March 15, 2014 |

HW = Hardware
OS SW = Operating System Software
App. SW = Application Software

Customers of the Cisco Catalyst 3750G-24TS-S and 3750G-24TS-E 1.5 rack-unit switches are encouraged to migrate to the newer Catalyst 3750G-24TS-S1U and 3750G-24TS-E1U 1 rack-unit switch models, respectively. The migration products offer several key advantages. They consume significantly less power, thereby reducing energy costs. Their 1-RU design results in a 33 percent

© 2008 Cisco Systems, Inc. All rights reserved. This document is Cisco Public Information.

savings in wiring closet space when compared to the older 1.5-RU products. They have twice the flash memory (32 MB vs. 16 MB), which will make future software upgrades easier. Detailed information about the new switches can be found at this URL: http://www.cisco.com/en/US/products/hw/switches/ps5023/index.html.

**Table 2.** Product Part Numbers Affected by This Announcement

| End-of-Sale Product Part Number | Product Description | Replacement Product Part Number | Replacement Product Description |
|---|---|---|---|
| WS-C3750G-24TS-E | Catalyst 3750 24 10/100/1000 + 4 SFP + IPS Image; 1.5RU | WS-C3750G-24TS-E1U | Catalyst 3750 24 10/100/1000 + 4 SFP + IPS Image; 1RU |
| WS-C3750G-24TS-S | Catalyst 3750 24 10/100/1000 + 4 SFP + IPB Image; 1.5RU | WS-C3750G-24TS-S1U | Catalyst 3750 24 10/100/1000 + 4 SFP + IPB Image; 1RU |

## Product Migration Options

Customers are encouraged to migrate to the Cisco Catalyst 3750G-24TS 1 rack-unit stackable switch. Information about this product can be found at http://www.cisco.com/en/US/products/hw/switches/ps5023/index.html.

**Table 3.** Product Comparisons

| Feature | Cisco Catalyst 3750G-24TS 1.5 Rack-Unit Stackable Switch | Cisco Catalyst 3750G-24TS 1 rack-unit stackable switch |
|---|---|---|
| Dimensions (H x W x D) | 2.59 x 17.5 x 11.6 inches (1.5 RU) | 1.73 x 17.5 x 14.9 inches (1 RU) |
| Flash Memory | 16 MB | 32 MB |
| Power Consumption | 190 W | 100 W |
| Cisco IOS Support | 12.1(14)EA1 and later | 12.2(20)SE3 and later |

## Additional Migration Options

Customers can also migrate to the Cisco Catalyst 3750-E Series Switches with StackWise Plus technology. Catalyst 3750-E Switch series is an enterprise-class line of stackable wiring closet switches that facilitates the deployment of secure converged applications while maximizing investment protection for evolving network and application requirements. Combining 10/100/1000 and Power over Ethernet (PoE) configurations with upgradeable one GbE to 10 GbE uplinks, the Cisco Catalyst 3750-E Series enhances worker productivity by enabling applications such as IP telephony and video.

Cisco Catalyst 3750-E Series primary features:

- Cisco TwinGig converter module for migrating uplinks from Gigabit Ethernet to 10 Gigabit Ethernet
- StackWise Plus for ease of use and resiliency with 64 Gbps of throughput
- Modular power supply with externally available backup
- Multicast routing, IPv6 routing, and access control list in hardware
- Out-of-band Ethernet management port along with RS-232 console port
- 1 RU (Rack Unit) design
- Can be stacked with 3750G and 3750-E models
- PoE models are also available

© 2008 Cisco Systems, Inc. All rights reserved. This document is Cisco Public Information.

**Table 4.** Product Comparison for other migration options

| End-of-Sale Product Part Number | Product Description | Replacement Product Part Number | Replacement Product Description |
|---|---|---|---|
| WS-C3750G-24TS-E | Catalyst 3750 24 10/100/1000 + 4 SFP + IPS Image; 1.5RU | WS-C3750E-24TD-E | Catalyst 3750E 24 10/100/1000+2*10GE(X2),265W,IPS s/w; 1RU |
| WS-C3750G-24TS-S | Catalyst 3750 24 10/100/1000 + 4 SFP + IPB Image; 1.5RU | WS-C3750E-24TD-S | Catalyst 3750E 24 10/100/1000+2*10GE(X2),265W,IPB s/w; 1RU |

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at: https://www.cisco.com/web/partners/incentives_and_promotions/tmp.html.

Customers may be able to continue to purchase the Cisco Catalyst 3750G-24TS 1.5 Rack-Unit Stackable Switch through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to http://www.cisco.com/go/eos.

Service prices for Cisco products are subject to change after the product End of Sale date.

## For More Information

For more information about the Cisco Catalyst 3750G-24TS 1 rack-unit stackable switch, visit http://www.cisco.com/en/US/products/hw/switches/ps5023/index.html, or contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to http://www.cisco.com/en/US/products/prod_end_of_life.html

To subscribe to receive end-of-life/end-of-sale information, go to http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at **www.cisco.com/go/offices.**

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0807R)

Printed in USA C51-489759-00 07/08

© 2008 Cisco Systems, Inc. All rights reserved. This document is Cisco Public Information.