# Release Notes for Cisco Catalyst Center Global Manager, Release 1.4.1

© 2026 Cisco and/or its affiliates. All rights reserved.

Cisco Catalyst Center Global Manager, Release 1.4.1 ..... 3
New and changed features in Catalyst Center Global Manager 1.4.1 ..... 3
Resolved issues ..... 5
Open issues ..... 6
Known issues ..... 7
Compatibility ..... 7
Scale ..... 8
Supported software packages ..... 8
Related documentation ..... 9
Legal information ..... 9

© 2026 Cisco and/or its affiliates. All rights reserved.

## Cisco Catalyst Center Global Manager, Release 1.4.1

This document describes the features, limitations, and bugs for Catalyst Center Global Manager, Release 1.4.1.

Catalyst Center Global Manager is a platform that provides you with a single-pane-of-glass (SPoG) interface to easily manage multiple Catalyst Centers. Catalyst Center Global Manager integrates information from various Catalyst Center platforms into a single display.

Catalyst Center Global Manager supports monitoring up to 25 controllers and 20 active users. Controllers will continue to function normally, monitoring and controlling their respective networks. For more information, refer to " Scale numbers" in the Cisco Catalyst Center Global Manager Deployment Guide.

**Note:**

Catalyst Center Global Manager supports the integration of several deployment configurations. You can integrate the following:

- Single-node and 3-node clusters.
- Supported Catalyst physical appliances.
- Virtual appliances (VA) deployments hosted on VMware ESXi, Amazon Web Services (AWS), or Microsoft Azure.

**Table 1.** Changes to this Document

| Date | Description |
|---|---|
| 2026-05-22 | Updated Catalyst Center Global Manager on Amazon Web Services (AWS). |
| 2026-05-06 | Initial Release. |

## New and changed features in Catalyst Center Global Manager 1.4.1

This section provides a brief description of the new and changed software features introduced in this release.

**Table 2.** New and changed features in Catalyst Center Global Manager 1.4.1

| Product impact | Feature | Description |
|---|---|---|
| Base functionality | Controller backup | The Controller backup feature offers a centralized and aggregate view of your environment. It allows you to monitor backup status, schedule single or bulk backups for the selected controllers, configure backup settings, and troubleshoot backup failures through cross-launch to the controller.<br>**Note:** The Controller backup page displays only enrolled controllers that are not in an error state. Pending controllers are not shown.<br>Key features:<br>• **Centralized monitoring:** View the backup status of all enrolled controllers in one location.<br>• **Status-based filtering:** Filter controllers by their current backup state, including Failed, Not configured, No backup data, In progress, and Success. The **Last backup status** displays only Success, Failed, or In progress, and excludes secondary statuses |

© 2026 Cisco and/or its affiliates. All rights reserved.

| Product impact | Feature | Description |
| --- | --- | --- |
| | | such as Canceled or Deleting.<br>• **Progressive loading:** Displays data as controllers respond, ensuring you receive updates as they become available.<br>• **Error reporting:** View detailed error reports in the loading error list for any controllers that fail to retrieve the backup details.<br>• **Cross-launch capabilities:** Easily navigate to specific controller interfaces to perform advanced management tasks.<br>For more information, refer to "Controller backup" in the Cisco Catalyst Center Global Manager Deployment Guide. |
| Ease of use | Pending controllers | Catalyst Center Global Manager has enhanced the management of pending controller connections:<br>• **Warning indicators**: Controllers in the **Pending connection** status are now clearly highlighted with new warning indicators in the controller list, allowing for immediate identification.<br>• **Filtering capabilities:** A new **View pending controller(s)** option has been added to the table filter. This allows you to filter the list to focus exclusively on pending connections.<br>• **Editable fields**: You now have the flexibility to edit all fields associated with a controller while it remains in the **Pending connection** status.<br>• **Streamlined enrollment:** If no modifications are made to the controller fields, the system enables the **Complete enrollment** option. Selecting this option redirects you to the Catalyst Center to finalize the enrollment process.<br>For more information, refer to "Controllers" in the Cisco Catalyst Center Global Manager Deployment Guide. |
| Ease of use | Enhancements to Situational dashboards | The **Situational Dashboards** let you create custom dashboards by selecting up to 15 of the 32 pre-built dashlets available in Catalyst Center Global Manager. Each dashboard is specific to an individual user.<br>Key functionalities include:<br>• **Dedicated creation interface**: A new menu option provides access to the dashboard creation page.<br>• **Custom dashboard creation**: Users can assign a unique name to each new dashboard.<br>• **Flexible dashlet integration**: Up to 15 dashlets can be added to a single dashboard at once.<br>• **Organized dashlet selection**: Dashlets are grouped logically by category or section for easy discovery and selection.<br>• **Progressive loading:** The **Situational Dashboard** page displays progressive loading as data loads. If an error occurs while fetching data, an error alert appears on the page.<br>• **Dashboard selection:** A selector drop-down allows switching between situational dashboards.<br>For more information, refer to "Situational Dashboard" in the Cisco Catalyst Center Global Manager Deployment Guide. |
| Base functionality | Enhancements to End-of-life devices | The **End-of-life** (EoL) devices feature provides information about Cisco devices that have reached or are approaching their EoL status. It includes critical hardware and software expiration dates to assist with lifecycle |

© 2026 Cisco and/or its affiliates. All rights reserved.

| Product impact | Feature | Description |
|---|---|---|
| | | management. This feature parallels the EoX (End-of-Life) functionality in Catalyst Center, delivering comprehensive reports on device lifecycle milestones to support product upgrade and replacement planning.<br><br>**Note**: This feature is in beta.<br><br>To use this feature, Catalyst Centers managed by Catalyst Center Global Manager must be upgraded to a release later than 2.3.7.10 or 3.1.5.<br><br>For more information, refer to "End-of-Life" in the Cisco Catalyst Center Global Manager Deployment Guide. |
| Base functionality enhancement | Enhancements to Data export | The data export feature in Catalyst Center Global Manager allows you to export all the table data by generating CSV files containing all matching records. You can apply filters to refine the data before exporting. The export process runs in the background, and upon completion, and upon completion, you can download the CSV file. The GUI displays only the five most recent exports per user. These recent exports are accessible via the **Download Report** tab, even after logging off or session timeout.<br><br>Currently, export functionality is supported only for the **Device Health** table under **Device Infrastructure** > **Health**. You can run one export at a time. The export files are retained for three days before automatic pruning. Export duration may vary depending on record volume, server load, and network latency. You can also cancel an in-progress export. This feature enhances data accessibility and management efficiency within Catalyst Center Global Manager.<br><br>For more information, refer to "Device health" in the Cisco Catalyst Center Global Manager Deployment Guide. |
| Ease of use | Catalyst Center Global Manager on Amazon Web Services (AWS) | Catalyst Center Global Manager on AWS is a deployment model that allows you to run the full functionality of Catalyst Center Global Manager within your AWS cloud environment to manage your network.<br><br>You can deploy Catalyst Center Global Manager on AWS using AWS CloudFormation template and AWS Marketplace.<br><br>For more information, refer to "Deploy Catalyst Center Global Manager on AWS using AWS CloudFormation" and "Deploy Catalyst Center Global Manager on AWS using AWS Marketplace" in the Cisco Catalyst Center Global Manager Deployment Guide. |

## Resolved issues

You can use the Cisco Bug Search Tool to search for a specific bug or to search for all resolved bugs in this release.

### Resolved issues in Catalyst Center Global Manager

**Table 3.** Resolved issues for Catalyst Center Global Manager, Release 1.4.1

| Bug ID | Headline |
|---|---|
| CSCwn15803 | Cross-launch to 2.3.7.9 on-premises controller shows 404 ERROR if the target controller logged out once. |
| CSCwr21545 | Customer should have the ability to delete Stale entries of Catalyst Centers in case of Catalyst Center RMA, etc. |
| CSCwr96484 | Request Header Fields Too Large error in accessing all the pages. |

© 2026 Cisco and/or its affiliates. All rights reserved.

| Bug ID | Headline |
|---|---|
| CSCws21138 | Webex and webhook event notifications are not received when Catalyst Center Global Manager is configured with Proxy server. |

## Resolved issues in Catalyst Center that impact Catalyst Center Global Manager

**Note:** These bugs are resolved in Catalyst Center release 2.3.7.10 and later.

**Table 4.** Resolved issues for Catalyst Center impacting Catalyst Center Global Manager, Release 1.4.1

| Bug ID | Headline |
|---|---|
| CSCwo20732 | DNAC P1 Alert " Assurance telemetry status is poor" no detailed in Catalyst Center Global Manager but Alert count pegged. |
| CSCwo28960 | Selecting a site Alaska shows building which is not present in the selected site. |
| CSCwo60817 | Summary Analytics API is erroring out with data is not complete/ready. |
| CSCwp29428 | Wireless client in no health data is not showing any entries in the table. |
| CSCwp33093 | Major alert counts are not shown in Catalyst Center Global Manager under network status changes for site filter selection. |
| CSCwn72604 | Data not ready even 20 min back dna/data/api/v1/clients/summaryAnalytics (often return 500 error). |

# Open issues

This software release may contain open bugs that apply to the current release and to earlier releases where they were first identified. You can use the Cisco Bug Search Tool to search for a specific bug or to search for all open bugs in this release.

## Open issues in Catalyst Center Global Manager

**Table 5.** Open issues for Catalyst Center Global Manager, Release 1.4.1

| Bug ID | Headline |
|---|---|
| CSCws21980 | Cache needs to be introduced for EOL API queries - slowness in loading data in EOL page if Catalyst Center has more devices. |
| CSCwu13378 | Extra SFTP tab appears under System Settings > Destinations in Catalyst Center Global Manager. |
| CSCwu09779 | Loading error not seen for unreachable controllers on end-of-life page when specific site is selected in site selector. |
| CSCwn47399 | Device Health Analytics filter is not working - For Global with unassigned condition. |
| CSCwn66065 | Any building and floor created directly under Global or an area are not selectable in the Site Selector. |

© 2026 Cisco and/or its affiliates. All rights reserved.

| Bug ID | Headline |
|---|---|
| CSCwr80628 | RMA scenario - Not able to re-add controller into new Catalyst Center Global Manager setup, need heartbeat count for number of days inactive. |

## Open issues in Catalyst Center that impact Catalyst Center Global Manager

**Note:** These bugs are open only in Catalyst Center release 2.3.7.9.

**Table 6.** Resolved issues for Catalyst Center impacting Catalyst Center Global Manager, Release 1.4.1

| Bug ID | Headline |
|---|---|
| CSCwo20732 | DNAC P1 Alert " Assurance telemetry status is poor" no detailed in Catalyst Center Global Manager but Alert count pegged. |
| CSCwo28960 | Selecting a site Alaska shows building which is not present in the selected site. |
| CSCwp33093 | Major alert counts are not shown in Catalyst Center Global Manager under network status changes for site filter selection. |

## Known issues

This table lists the limitations for this release.

**Table 7.** Known issues for Catalyst Center Global Manager, Release 1.4.1

| Issue | Description |
|---|---|
| Unsupported features | Catalyst Center Global Manager does not support IPv6, FIPS, the Disaster Recovery variant of Catalyst Center, or air-gapped clusters. |
| Limitation with Webex notifications | The Webex notification for events does not show controller names or controller IDs. |
| Role-Based Access Control (RBAC) | Catalyst Center Global Manager supports only global scoped sites with RBAC role-managed Catalyst Center. It does not support site-based RBAC with non-global scope in Catalyst Center. |

## Compatibility

Catalyst Center Global Manager supports these form factors:

- Cisco Catalyst Center on-premises appliance (single node and three node)
- Cisco Catalyst Center on ESXi (single node)
- Virtual appliance (VA) on Amazon Web Services (AWS)
- Virtual appliance (VA) on Azure

This table shows the minimum supported compatibility for Catalyst Center Global Manager.

**Table 8.** Compatibility information for Catalyst Center Global Manager, Release 1.4.1

© 2026 Cisco and/or its affiliates. All rights reserved.

| Controller | Supported Release |
|---|---|
| Catalyst Center | 2.3.7.9, 2.3.7.10, 2.3.7.11, 3.1.3, 3.1.5, and 3.1.6. |

## Compatible browsers

The Catalyst Center Global Manager GUI is compatible with these HTTPS-enabled browsers:

- Google Chrome: Version 134 or later.
- Mozilla Firefox: Version 120.0.1 or later.

Screen resolution:

- Minimum: 1368 x 768 pixels
- Recommended: 1920 x 1080 pixels

We recommend that the client systems you use to log in to Catalyst Center Global Manager be equipped with 64-bit operating systems and browsers.

## Scale

For Catalyst Center Global Manager scale numbers, refer to “Scale numbers” in the Cisco Catalyst Center Global Manager Deployment Guide.

## Supported software packages

This section provides information about the release packages associated with Catalyst Center Global Manager.

**Table 9.** Packages for Catalyst Center Global Manager, Release 1.4.1

| Package name | Release 1.4.1 |
|---|---|
| **Release Build Version** | |
| Release Version | 1.4.1-3070267 |
| **Core** | |
| System | 3.3.72 |
| Core Platform | 0.11.400 |
| Identity and Access Management | 5.5.56 |
| **Platform** | |
| Managed Services | 0.11.58 |
| Gateway Services | 0.11.33 |
| Core Addons | 0.11.80 |

© 2026 Cisco and/or its affiliates. All rights reserved.

| Package name | Release 1.4.1 |
|---|---|
| Platform UI | 3.8.23 |
| Identity and Access Management - UI | 5.5.25 |
| DxHub Cloud Connectivity | 6.11.46 |
| Cloud Connectivity | 6.11.26 |
| Enterprise Integration | 6.10.85 |
| API Catalog | 4.4.22 |
| System Management Operations | 1.7.33 |
| Telemetry | 4.8.20 |
| Cloud Connectivity - Contextual Content | 7.1.10 |
| RCA-Scripts Package | 0.6.3 |
| Network Experience Platform - Core | 2.738.67830 |
| **Federation** | |
| Federation | 2.760.3060398 |
| System Health | 2.738.71171 |
| Assurance | 3.140.15003 |

## Related documentation

The documents listed here are available for additional reference.

| Document | Description |
|---|---|
| Cisco Catalyst Center Global Manager Deployment Guide | This document provides additional information and guidance while deploying Catalyst Center Global Manager or getting started with the product. |
| Cisco Catalyst Center Global Manager Upgrade Guide | This document provides instructions and prerequisites for upgrading Cisco Catalyst Center Global Manager. |

## Legal information

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2026 Cisco and/or its affiliates. All rights reserved.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2026 Cisco Systems, Inc. All rights reserved.