

Cisco UCS Rack Servers Firmware Files, Release 6.0

First Published: 2025-09-02

Last Modified: 2026-06-25

Americas Headquarters
Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
http://www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

© 2025 –2026 Cisco Systems, Inc. All rights reserved.



CONTENTS

CHAPTER 1 **Overview** 1

Overview 1

Revision History 1

CHAPTER 2 **Firmware Files for 6.0(2)** 7


Firmware Files for 6.0(2) 7

CHAPTER 3 **Firmware Files for 6.0(1)** 213

Firmware Files for 6.0(1) 213

CHAPTER 4 **HDD Firmware** 381

HDD Firmware for 6.0 381



CHAPTER 1

Overview

- Overview, on page 1
- Revision History, on page 1

Overview

For each release, Cisco UCS C-Series and S-Series servers has a Host Upgrade Utility (HUU) ISO container which contains the Cisco IMC, BIOS and firmware for all the supported adapters. Using the HUU, you can update the firmware of the server components for each release. This document lists the firmware details for all 6.0 releases.

Additionally, this document also contains information on inter-dependencies between Cisco UCS hardware and the various versions of Cisco IMC. For instance, supported servers and adapters, and the corresponding recommended versions required for these components.

Revision History

The following table shows the online change history for this document:


Table 1: HUU Revision History Changes for 6.0 Releases

Release	Releases	Description
H0	June 25, 2026	Created release notes for 6.0(2.260143) for the following servers: • Cisco UCS UCS C220 M8, C240 M8, C225 M8 and C245 M8 servers • Cisco UCS C220 M7 and C240 M7 servers • Cisco UCS C220 M6, C240 M6, C225 M6 and C245 M6 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.2.260143, on page 7
G0	April 23, 2026	Created release notes for 6.0(2.260069) for the following servers: • Cisco UCS UCS C220 M8, C240 M8, C225 M8 and C245 M8 servers • Cisco UCS C220 M7 and C240 M7 servers • Cisco UCS C220 M6, C240 M6, C225 M6 and C245 M6 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.2.260069, on page 76

Release	Releases	Description
F0	March 16, 2026	Created release notes for 6.0(2.260044) for the following servers: • Cisco UCS UCS C220 M8, C240 M8, C225 M8 and C245 M8 servers • Cisco UCS C220 M7 and C240 M7 servers • Cisco UCS C220 M6, C240 M6, C225 M6 and C245 M6 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.2.260044, on page 144
E0	January 14, 2026	Created release notes for 6.0(1.250194) for the following servers: • Cisco UCS C220 M8 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.1.250194, on page 213
D0	December 18, 2025	Created release notes for 6.0(1.250192) for the following servers: • Cisco UCS UCS C220 M8, C240 M8, C225 M8 and C245 M8 servers • Cisco UCS C220 M7 and C240 M7 servers • Cisco UCS C220 M6, C240 M6, C225 M6 and C245 M6 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.1.250192, on page 220

Release	Releases	Description
C0	November 12, 2025	Created release notes for 6.0(1.250174) for the following servers: • Cisco UCS UCS C220 M8, C240 M8, C225 M8 and C245 M8 servers • Cisco UCS C220 M7 and C240 M7 servers • Cisco UCS C220 M6, C240 M6, C225 M6 and C245 M6 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.1.250174, on page 236
B0	October 09, 2025	Created release notes for 6.0(1.250131) for the following servers: • Cisco UCS UCS C220 M8, C240 M8, C225 M8 and C245 M8 servers • Cisco UCS C220 M7 and C240 M7 servers • Cisco UCS C220 M6, C240 M6, C225 M6 and C245 M6 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.1.250131, on page 291

Release	Releases	Description
A0	September 02, 2025	Created release notes for 6.0(1.250130) for the following servers: • Cisco UCS C245 M8 server The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.1.250130, on page 346
		Created release notes for 6.0(1.250127) for the following servers: • Cisco UCS C220 M8, C240 M8, C225 M8 servers • Cisco UCS C220 M7 and C240 M7 servers • Cisco UCS C220 M6, C240 M6, C225 M6 and C245 M6 servers The firmware files in Cisco Host Upgrade Utility for individual releases are available at Firmware Files for Release 6.0.1.250127, on page 349



CHAPTER 2

Firmware Files for 6.0(2)

- Firmware Files for 6.0(2), on page 7

Firmware Files for 6.0(2)

This section comprises firmware information for the following releases:

- Firmware Files for Release 6.0.2.260143, on page 7
- Firmware Files for Release 6.0.2.260069, on page 76
- Firmware Files for Release 6.0.2.260044, on page 144

Firmware Files for Release 6.0.2.260143

The Cisco Host Upgrade Utility contains the following files:

- ucs-c240m6-huu-6.0.2.260143.iso
- ucs-c220m6-huu-6.0.2.260143.iso
- ucs-c245m6-huu-6.0.2.260143.iso
- ucs-c225m6-huu-6.0.2.260143.iso
- ucs-c240m7-huu-6.0.2.260143.iso
- ucs-c220m7-huu-6.0.2.260143.iso
- ucs-c245m8-huu-6.0.2.260143.iso
- ucs-c225m8-huu-6.0.2.260143.iso
- ucs-c240m8-huu-6.0.2.260143.iso
- ucs-c220m8-huu-6.0.2.260143.iso

Table 2: ucs-c240m6-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
CISCO	BIOS	BIOS	C240M6.6.0.2b.0.0526261056
CISCO	Board_Controller	Board Controller	42.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.52)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.52)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.52)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.52)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
MICROSEM	mswitch-1	PCIe-Switch-1	3.70.0.4F
MICROSEM	mswitch-2	PCIe-Switch-2	3.70.0.4F
MICROSEM	mswitch-3	PCIe-Switch-3	3.70.0.4F
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium En durance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium En durance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium En durance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-SAS-M6HD	Cisco 12G SAS HBA	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
LSI	UCSC-RAID-M6HD	Cisco 12G SAS RAID Controller with 4GB FBWC	52.34.0-6415
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.4-20.43.1014
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NI C	26.48.1000
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP2 8 NIC	16.35.8008
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.8008
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVM e	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803

Vendor	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	X550-LOM	Intel X550 LOM	0x80001800-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SS D	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SS D	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
PERSISTENT-MEMORY	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 3: ucs-c220m6-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)
CISCO	BIOS	BIOS	C220M6.6.0.2b.0.0526261056

Vendor	Component	Description	Packaged Version
CISCO	Board_Controller	Board Controller	39.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.52)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.52)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.52)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.52)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.8008
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.8008
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVME2H-I4000	Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVMEHW-I8000	Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	X550-LOM	Intel X550 LOM	0x800017FE-1.839.1

Vendor	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553

Vendor	Component	Description	Packaged Version
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
PERSISTENT-MEMORY	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 4: ucs-c245m6-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)
CISCO	BIOS	BIOS	C245M6.6.0.2c.0.0527260122
CISCO	Board_Controller	Board Controller	29.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.52)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.52)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.52)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.52)

Vendor	Component	Description	Packaged Version
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.0
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.0
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014, 43.1014
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NI C	16.35.8008
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.8008
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Dis abled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803

Vendor	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 5: ucs-c225m6-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)
CISCO	BIOS	BIOS	C225M6.6.0.2c.0.0527260122
CISCO	Board_Controller	Board Controller	27.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.52)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.52)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.52)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.52)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.8008
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.8008
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 6: ucs-c240m7-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)
CISCO	BIOS	BIOS	C240M7.6.0.2d.0.0528262136
CISCO	Board_Controller	Board Controller	40.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48

Vendor	Component	Description	Packaged Version
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.52)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.07.02
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.101 .00.04-20.43.1014
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.00

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC ; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16 , Crypto Disabled	32.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX170	Intel Data Center GPU Flex 170, FH-3/4L, 150W PCIe	DG02_1.3274-7.0.0.0
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 7: ucs-c220m7-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)
CISCO	BIOS	BIOS	C220M7.6.0.2d.0.0528262136
CISCO	Board_Controller	Board Controller	38.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.52)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.52)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.07.02
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 8: ucs-c245m8-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)
CISCO	BIOS	BIOS	C245M8.6.0.2c.0.0527260120
CISCO	Board_Controller	Board Controller	22.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00

Vendor	Component	Description	Packaged Version
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
AMD	UCSC-GPU-MI210	AMD MI-210 GPU; 300W 64GB, 2 slot FHFL	113-D67307V-075_3.16
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.07.02
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.101 .00.04-20.43.1014
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.00
NVIDIA	UCSC-GPU-RTXP4500	NVIDIA RTX Pro 4500 GPU 165W, 32GB, FHFL PCIe GPU	98.03.BB.00.01-G147.0210.00.01
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC ; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VP I NIC	28.48.1000
NVIDIA	UCSC-P-NC3220	NVIDIA BlueField-3 B3220 DPU 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.48.1000
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16 , Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16 , Crypto Disabled	32.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 9: ucs-c225m8-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260094)
CISCO	BIOS	BIOS	C225M8.6.0.2c.0.0527260121
CISCO	Board_Controller	Board Controller	13.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.07.02
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB960M1H	960GB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB1T9M1H	1.92TB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1019
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 10: ucs-c240m8-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260095)
CISCO	BIOS	BIOS	C240M8.6.0.2d.0.0527260454
CISCO	Board_Controller	Board Controller	25.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.07.02
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,94.0 0.04-20.43.1014
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_n0
NVIDIA	UCSC-GPU-RTXP6000	NVIDIA RTX Pro 6000 GPU 600W, 96GB, 2-slot FHFL PCIe GPU	98.02.AF.00.01-G153.0210.00.02
NVIDIA	UCSC-GPU-RTX6000D	NVIDIA RTX Pro 6000D GPU 600W, 84GB, 2-slot FHFL PCIe GPU	98.02.AF.00.03-G153.0235.00.02
NVIDIA	UCSC-GPU-RTXP4500	NVIDIA RTX Pro 4500 GPU 165W, 32GB, FHFL PCIe GPU	98.03.BB.00.01-G147.0210.00.01
NVIDIA	UCSC-GPU-H200-NVL	NVIDIA H200-NVL GPU 450W, 141GB, 2-slot FHFL	96.00.D9.00.0E-1010.0230.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.48.1000
NVIDIA	UCSC-P-NC3220	NVIDIA BlueField-3 B3220 DPU 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.48.1000
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disab led	32.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVE130T7M4V	30.7TB E3.S1T Micron 9550 Gen 5 1DWPD NVMe	F3MU112
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2003

Vendor	Component	Description	Packaged Version
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2003
MARVELL	UCSC-M2RR-240M8	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2003
KIOXIA	UCS-NVE11T9K2V9	1.9TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE13T8K2V9	3.8TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE17T6K2V9	7.6TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE115T3K2V9	15.3TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106

Vendor	Component	Description	Packaged Version
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAIDMP1LL32	Cisco 24G TriMode M1 RAID Controller W/8GB FBWC LFF 32D	03.01.41.040
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040

Vendor	Component	Description	Packaged Version
MICROCHIP	UCSC-HBAMP1LL32	Cisco 24G TriMode M1 HBA LFF 32D	03.01.41.040
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Table 11: ucs-c220m8-huu-6.0.2.260143.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260095)
CISCO	BIOS	BIOS	C220M8.6.0.2d.0.0527260454
CISCO	Board_Controller	Board Controller	21.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.52)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.52)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.52)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.52)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.07.02
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.07.02
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.725.15
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.725.15
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVE130T7M4V	30.7TB E3.S1T Micron 9550 Gen 5 1DWPD NVMe	F3MU112
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2003
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2003
KIOXIA	UCS-NVE11T9K2V9	1.9TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE13T8K2V9	3.8TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105

Vendor	Component	Description	Packaged Version
KIOXIA	UCS-NVE17T6K2V9	7.6TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE115T3K2V9	15.3TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20260224233724077

Firmware Files for Release 6.0.2.260069

The Cisco Host Upgrade Utility contains the following files:

- ucs-c240m6-huu-6.0.2.260069.iso
- ucs-c220m6-huu-6.0.2.260069.iso
- ucs-c245m6-huu-6.0.2.260069.iso
- ucs-c225m6-huu-6.0.2.260069.iso
- ucs-c240m7-huu-6.0.2.260069.iso
- ucs-c220m7-huu-6.0.2.260069.iso
- ucs-c245m8-huu-6.0.2.260069.iso
- ucs-c225m8-huu-6.0.2.260069.iso
- ucs-c240m8-huu-6.0.2.260069.iso
- ucs-c220m8-huu-6.0.2.260069.iso

Table 12: ucs-c240m6-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	Cisco IMC	6.0(2.260069)
CISCO	BIOS	BIOS	C240M6.6.0.2a.0.0121260813
CISCO	Board_Controller	Board Controller	42.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.49)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.49)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.49)

Vendor	Component	Description	Packaged Version
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.49)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
MICROSEM	mswitch-1	PCIe-Switch-1	3.70.0.4F
MICROSEM	mswitch-2	PCIe-Switch-2	3.70.0.4F
MICROSEM	mswitch-3	PCIe-Switch-3	3.70.0.4F
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-SAS-M6HD	Cisco 12G SAS HBA	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
LSI	UCSC-RAID-M6HD	Cisco 12G SAS RAID Controller with 4GB FBWC	52.34.0-6415
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	X550-LOM	Intel X550 LOM	0x80001800-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 13: ucs-c220m6-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(2.260069)
CISCO	BIOS	BIOS	C220M6.6.0.2a.0.0121260813
CISCO	Board_Controller	Board Controller	39.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.49)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.49)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.49)

Vendor	Component	Description	Packaged Version
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.49)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVME2H-I4000	Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVMEHW-I8000	Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	X550-LOM	Intel X550 LOM	0x800017FE-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553

Vendor	Component	Description	Packaged Version
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 14: ucs-c245m6-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(2.260069)
CISCO	BIOS	BIOS	C245M6.6.0.2b.0.0329260906
CISCO	Board_Controller	Board Controller	29.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.49)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.49)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.49)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.49)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.0
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,94.0
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1

Vendor	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 15: ucs-c225m6-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260069)
CISCO	BIOS	BIOS	C225M6.6.0.2b.0.0329260906
CISCO	Board_Controller	Board Controller	27.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.49)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.49)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.49)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.49)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17

Vendor	Component	Description	Packaged Version
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 16: ucs-c240m7-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260069)
CISCO	BIOS	BIOS	C240M7.6.0.2a.0.0130261651
CISCO	Board_Controller	Board Controller	39.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.49)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.00
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.(
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,9
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02

Vendor	Component	Description	Packaged Version
INTEL	UCSC-GPU-FLEX170	Intel Data Center GPU Flex 170, FH-3/4L, 150W PCIe	DG02_1.3274-7.0.0.0
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 17: ucs-c220m7-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260069)
CISCO	BIOS	BIOS	C220M7.6.0.2a.0.0130261651
CISCO	Board_Controller	Board Controller	37.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.49)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.49)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 18: ucs-c245m8-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260069)
CISCO	BIOS	BIOS	C245M8.6.0.2b.0.0329261042
CISCO	Board_Controller	Board Controller	21.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
AMD	UCSC-GPU-MI210	AMD MI-210 GPU; 300W 64GB, 2 slot FHFL	113-D67307V-075_3.16
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,9
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.48.1000
NVIDIA	UCSC-P-NC3220	NVIDIA BlueField-3 B3220 DPU 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.48.1000
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040

Vendor	Component	Description	Packaged Version
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 19: ucs-c225m8-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260069)
CISCO	BIOS	BIOS	C225M8.6.0.2b.0.0329261026
CISCO	Board_Controller	Board Controller	12.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.48.1000
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB960M1H	960GB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB1T9M1H	1.92TB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 20: ucs-c240m8-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260069)
CISCO	BIOS	BIOS	C240M8.6.0.2c.0.0329261442
CISCO	Board_Controller	Board Controller	24.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,94.0
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_n0
NVIDIA	UCSC-GPU-RTXP6000	NVIDIA RTX Pro 6000 GPU 600W, 96GB, 2-slot FHFL PCIe GPU	98.02.8D.00.01-G153.0210.00.02

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-H200-NVL	NVIDIA H200-NVL GPU 450W, 141GB, 2-slot FHFL	96.00.D9.00.0E-1010.0230.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.48.1000
NVIDIA	UCSC-P-NC3220	NVIDIA BlueField-3 B3220 DPU 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.48.1000
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.48.1000
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVE130T7M4V	30.7TB E3.S1T Micron 9550 Gen 5 1DWPD NVMe	F3MU112

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q

Vendor	Component	Description	Packaged Version
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
MARVELL	UCSC-M2RR-240M8	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2002
KIOXIA	UCS-NVE11T9K2V9	1.9TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE13T8K2V9	3.8TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE17T6K2V9	7.6TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE115T3K2V9	15.3TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105

Vendor	Component	Description	Packaged Version
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAIDMP1LL32	Cisco 24G TriMode M1 RAID Controller W/8GB FBWC LFF 32D	03.01.41.040
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBAMP1LL32	Cisco 24G TriMode M1 HBA LFF 32D	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244620

Table 21: ucs-c220m8-huu-6.0.2.260069.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260069)
CISCO	BIOS	BIOS	C220M8.6.0.2a.0.0126261758
CISCO	Board_Controller	Board Controller	20.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.49)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.49)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.49)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.49)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.48.1000
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.48.1000
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.48.1000
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.48.1000
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.48.1000
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.48.1000
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.48.1000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.48.1000
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.48.1000
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.48.1000
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVE130T7M4V	30.7TB E3.S1T Micron 9550 Gen 5 1DWPD NVMe	F3MU112
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU111
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q

Vendor	Component	Description	Packaged Version
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
KIOXIA	UCS-NVE11T9K2V9	1.9TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE13T8K2V9	3.8TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE17T6K2V9	7.6TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE115T3K2V9	15.3TB E3.S1T Kioxia CM7-R Gen 5 1DWPD NVMe (SED FIPS)	1TETP105
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106

Vendor	Component	Description	Packaged Version
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20260129052244

Firmware Files for Release 6.0.2.260044

The Cisco Host Upgrade Utility contains the following files:

- ucs-c240m6-huu-6.0.2.260044.iso
- ucs-c220m6-huu-6.0.2.260044.iso
- ucs-c245m6-huu-6.0.2.260044.iso
- ucs-c225m6-huu-6.0.2.260044.iso

- ucs-c240m7-huu-6.0.2.260044.iso
- ucs-c220m7-huu-6.0.2.260044.iso
- ucs-c245m8-huu-6.0.2.260044.iso
- ucs-c225m8-huu-6.0.2.260044.iso
- ucs-c240m8-huu-6.0.2.260044.iso
- ucs-c220m8-huu-6.0.2.260044.iso

Table 22: ucs-c240m6-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C240M6.6.0.2a.0.0121260813
CISCO	Board_Controller	Board Controller	42.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.47)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.47)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.47)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.47)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
MICROSEMI	mswitch-1	PCIe-Switch-1	3.70.0.4F
MICROSEMI	mswitch-2	PCIe-Switch-2	3.70.0.4F
MICROSEMI	mswitch-3	PCIe-Switch-3	3.70.0.4F
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-SAS-M6HD	Cisco 12G SAS HBA	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
LSI	UCSC-RAID-M6HD	Cisco 12G SAS RAID Controller with 4GB FBWC	52.34.0-6415
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	X550-LOM	Intel X550 LOM	0x80001800-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553

Vendor	Component	Description	Packaged Version
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
PERSISTENT-MEMORY	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 23: ucs-c220m6-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C220M6.6.0.2a.0.0121260813
CISCO	Board_Controller	Board Controller	39.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.47)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.47)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.47)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.47)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803

Vendor	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVME2H-I4000	Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVMEHW-I8000	Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	X550-LOM	Intel X550 LOM	0x800017FE-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07

Vendor	Component	Description	Packaged Version
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
PERSISTENT-MEMORY	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 24: ucs-c245m6-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C245M6.6.0.2a.0.0120262146
CISCO	Board_Controller	Board Controller	29.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00

Vendor	Component	Description	Packaged Version
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.47)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.47)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.47)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.47)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.00.05
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.04-
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,94.0
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 25: ucs-c225m6-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C225M6.6.0.2a.0.0120262146
CISCO	Board_Controller	Board Controller	27.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(2.47)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(2.47)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(2.47)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.47)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803

Vendor	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370

Vendor	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.839.1
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x800101A6-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 26: ucs-c240m7-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C240M7.6.0.2a.0.0130261651
CISCO	Board_Controller	Board Controller	39.0

Vendor	Component	Description	Packaged Version
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.47)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.34.0-6415
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.00
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.(
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.10
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.00
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.46.1006
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-NC3220	NVIDIA BlueField-3 B3220 DPU 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.46.1006
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX170	Intel Data Center GPU Flex 170, FH-3/4L, 150W PCIe	DG02_1.3274-7.0.0.0
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 27: ucs-c220m7-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)

Vendor	Component	Description	Packaged Version
CISCO	BIOS	BIOS	C220M7.6.0.2a.0.0130261651
CISCO	Board_Controller	Board Controller	37.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(2.47)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(2.47)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002

Vendor	Component	Description	Packaged Version
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	36.65.08.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.34.0-6415
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.46.1006
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 28: ucs-c245m8-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)

Vendor	Component	Description	Packaged Version
CISCO	BIOS	BIOS	C245M8.6.0.2a.0.0121261129
CISCO	Board_Controller	Board Controller	21.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
AMD	UCSC-GPU-MI210	AMD MI-210 GPU; 300W 64GB, 2 slot FHFL	113-D67307V-075_3.16
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,9
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.46.1006
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.46.1006
NVIDIA	UCSC-P-NC3220	NVIDIA BlueField-3 B3220 DPU 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.46.1006
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.46.1006
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.46.1006
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.46.1006

Vendor	Component	Description	Packaged Version
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 29: ucs-c225m8-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C225M8.6.0.2a.0.0121261128
CISCO	Board_Controller	Board Controller	12.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	36.65.08.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.34.0-6415
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17

Vendor	Component	Description	Packaged Version
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.46.1006
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.46.1006
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.46.1006
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB960M1H	960GB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB1T9M1H	1.92TB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5in U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-3200	3.2TB 2.5in U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x800101A7-1.839.1-9.56
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x800101A1-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-2025100814001154

Table 30: ucs-c240m8-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C240M8.6.0.2a.0.0126261758
CISCO	Board_Controller	Board Controller	24.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48

Vendor	Component	Description	Packaged Version
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,9
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000
NVIDIA	UCSC-GPU-RTXP6000	NVIDIA RTX Pro 6000 GPU 600W, 96GB, 2-slot FHFL PCIe GPU	98.02.8D.00.01-G153.0210.00.02
NVIDIA	UCSC-GPU-H200-NVL	NVIDIA H200-NVL GPU 450W, 141GB, 2-slot FHFL	96.00.D9.00.0E-1010.0230.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.46.1006
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.46.1006
NVIDIA	UCSC-P-NC3220	NVIDIA BlueField-3 B3220 DPU 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.46.1006
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.46.1006
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.46.1006
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q

Vendor	Component	Description	Packaged Version
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
MARVELL	UCSC-M2RR-240M8	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2002
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAIDMP1LL32	Cisco 24G TriMode M1 RAID Controller W/8GB FBWC LFF 32D	03.01.41.040
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.41.040
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBAMP1LL32	Cisco 24G TriMode M1 HBA LFF 32D	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 31: ucs-c220m8-huu-6.0.2.260044.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(2.260044)
CISCO	BIOS	BIOS	C220M8.6.0.2a.0.0126261758

Vendor	Component	Description	Packaged Version
CISCO	Board_Controller	Board Controller	20.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(2.47)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(2.47)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(2.47)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(2.47)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.576.17
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.576.17
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006


Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.46.1006
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-NC3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Enabled	32.46.1006
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.46.1006
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Firmware Files for 6.0(2)

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G4/5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q

Vendor	Component	Description	Packaged Version
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA1K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA1K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106

Vendor	Component	Description	Packaged Version
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE106
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE106
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8001019F-1.839.1-9.56
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x80021539-1.839.1-4.91
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x80021535-1.839.1-4.91
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x80021537-1.839.1-4.91
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x800101A0-1.839.1-9.56
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x800101A4-1.839.1-9.56
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x800101A3-1.839.1-9.56
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.41.040
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.41.040
CISCO	Device Connector	DC packaged in CIMC	1.0.11-2025100814001154



CHAPTER 3

Firmware Files for 6.0(1)

- Firmware Files for 6.0(1), on page 213

Firmware Files for 6.0(1)

This section comprises firmware information for the following releases:

- Firmware Files for Release 6.0.1.250194, on page 213
- Firmware Files for Release 6.0.1.250192, on page 220
- Firmware Files for Release 6.0.1.250174, on page 236
- Firmware Files for Release 6.0.1.250131, on page 291
- Firmware Files for Release 6.0.1.250130, on page 346
- Firmware Files for Release 6.0.1.250127, on page 349

Firmware Files for Release 6.0.1.250194

The Cisco Host Upgrade Utility contains the following files:

- ucs-c220m8-huu-6.0.1.250194.iso

Table 32: ucs-c240m8-huu-6.0.1.250194.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250194)
CISCO	BIOS	BIOS	C240M8.6.0.1c.0.1117250232
CISCO	Board_Controller	Board Controller	24.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48

Vendor	Component	Description	Packaged Version
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,94.0
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_n0
NVIDIA	UCSC-GPU-H200-NVL	NVIDIA H200-NVL GPU 450W, 141GB, 2-slot FHFL	96.00.D9.00.0E-1010.0230.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.46.1006
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.46.1006
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.46.1006
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25

Vendor	Component	Description	Packaged Version
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V9	1.9TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V9	3.8TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V9	15.3TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q

Vendor	Component	Description	Packaged Version
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
MARVELL	UCSC-M2RR-240M8	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2002
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105

Vendor	Component	Description	Packaged Version
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54

Vendor	Component	Description	Packaged Version
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAIDMP1LL32	Cisco 24G TriMode M1 RAID Controller W/8GB FBWC LFF 32D	03.01.33.052
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.052
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBAMP1LL32	Cisco 24G TriMode M1 HBA LFF 32D	03.01.33.052
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Firmware Files for Release 6.0.1.250192

The Cisco Host Upgrade Utility contains the following files:

- ucs-c240m6-huu-6.0.1.250192.iso
- ucs-c220m6-huu-6.0.1.250192.iso
- ucs-c245m6-huu-6.0.1.250192.iso
- ucs-c225m6-huu-6.0.1.250192.iso
- ucs-c240m7-huu-6.0.1.250192.iso
- ucs-c220m7-huu-6.0.1.250192.iso
- ucs-c245m8-huu-6.0.1.250192.iso
- ucs-c225m8-huu-6.0.1.250192.iso
- ucs-c240m8-huu-6.0.1.250192.iso
- ucs-c220m8-huu-6.0.1.250192.iso

Table 33: ucs-c240m6-huu-6.0.1.250192.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250192)
CISCO	BIOS	BIOS	C240M6.6.0.1c.0.0831252240
CISCO	Board_Controller	Board Controller	42.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.34)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.34)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.34)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
MICROSEM	mswitch-1	PCIe-Switch-1	3.70.0.4F
MICROSEM	mswitch-2	PCIe-Switch-2	3.70.0.4F
MICROSEM	mswitch-3	PCIe-Switch-3	3.70.0.4F
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Firmware Files for 6.0(1)

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-SAS-M6HD	Cisco 12G SAS HBA	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5997
LSI	UCSC-RAID-M6HD	Cisco 12G SAS RAID Controller with 4GB FBWC	52.30.0-5997
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	X550-LOM	Intel X550 LOM	0x80001800-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Table 34: ucs-c220m6-huu-6.0.1.250192.iso

Vendor	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250192)
CISCO	BIOS	BIOS	C220M6.6.0.1c.0.0831252240
CISCO	Board_Controller	Board Controller	39.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.34)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.34)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.34)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10370
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.46.1006
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.46.1006
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.46.1006
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.46.1006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.46.1006
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.46.1006
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.46.1006
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25

Vendor	Component	Description	Packaged Version
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB960M2V	960GB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB7T6M2V	7.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	E3MQ009
MICRON	UCS-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB6T4M2P	6.4TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVB12T8M2P	12.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	E3MQ009
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Vendor	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVME2H-I4000	Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCSC-NVMEHW-I8000	Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP05
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10370

Vendor	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	X550-LOM	Intel X550 LOM	0x800017FE-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02

Vendor	Component	Description	Packaged Version
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20251008140011542

Firmware Files for Release 6.0.1.250174

The Cisco Host Upgrade Utility contains the following files:

- ucs-c240m6-huu-6.0.1.250174.iso
- ucs-c220m6-huu-6.0.1.250174.iso
- ucs-c245m6-huu-6.0.1.250174.iso
- ucs-c225m6-huu-6.0.1.250174.iso
- ucs-c240m7-huu-6.0.1.250174.iso
- ucs-c220m7-huu-6.0.1.250174.iso
- ucs-c245m8-huu-6.0.1.250174.iso
- ucs-c225m8-huu-6.0.1.250174.iso
- ucs-c240m8-huu-6.0.1.250174.iso
- ucs-c220m8-huu-6.0.1.250174.iso

Table 35: ucs-c240m6-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C240M6.6.0.1c.0.0831252240
CISCO	Board_Controller	Board Controller	42.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.34)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.34)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.34)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
MICROSEM	mswitch-1	PCIe-Switch-1	3.70.0.4F
MICROSEM	mswitch-2	PCIe-Switch-2	3.70.0.4F
MICROSEM	mswitch-3	PCIe-Switch-3	3.70.0.4F
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Firmware Files for 6.0(1)

Category	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-SAS-M6HD	Cisco 12G SAS HBA	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5997
LSI	UCSC-RAID-M6HD	Cisco 12G SAS RAID Controller with 4GB FBWC	52.30.0-5997
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92

Category	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026

Category	Component	Description	Packaged Version
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803

Category	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Category	Component	Description	Packaged Version
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	X550-LOM	Intel X550 LOM	0x80001800-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54

Category	Component	Description	Packaged Version
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 36: ucs-c220m6-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C220M6.6.0.1c.0.0831252240

Category	Component	Description	Packaged Version
CISCO	Board_Controller	Board Controller	39.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.34)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.34)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.34)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Category	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026

Category	Component	Description	Packaged Version
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Category	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036

Firmware Files for 6.0(1)

Category	Component	Description	Packaged Version
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCSC-NVME2H-I4000	Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCSC-NVMEHW-I8000	Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	X550-LOM	Intel X550 LOM	0x800017FE-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54

Category	Component	Description	Packaged Version
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553

Category	Component	Description	Packaged Version
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 37: ucs-c245m6-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C245M6.6.0.1a.0.0626250258
CISCO	Board_Controller	Board Controller	29.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.34)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.34)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.34)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360

Category	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.0
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00

Firmware Files for 6.0(1)

Category	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00.0
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00.02
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,94.0
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Category	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036

Category	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0

Category	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 38: ucs-c225m6-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C225M6.6.0.1a.0.0626250258
CISCO	Board_Controller	Board Controller	27.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.34)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.34)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.34)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Category	Component	Description	Packaged Version
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Category	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036

Category	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80

Category	Component	Description	Packaged Version
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 39: ucs-c240m7-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C240M7.6.0.1b.0.0903250440
CISCO	Board_Controller	Board Controller	39.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48

Category	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00

Firmware Files for 6.0(1)

Category	Component	Description	Packaged Version
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5997
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.00
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00.(
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.00
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,9
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01

Category	Component	Description	Packaged Version
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036

Category	Component	Description	Packaged Version
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF006
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007

Category	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54

Category	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX170	Intel Data Center GPU Flex 170, FH-3/4L, 150W PCIe	DG02_1.3274-7.0.0.0
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.052

Category	Component	Description	Packaged Version
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.052
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 40: ucs-c220m7-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C220M7.6.0.1b.0.0903250440
CISCO	Board_Controller	Board Controller	37.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.34)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.34)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Category	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5997
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5997
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.04.04
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026

Category	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF006
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007

Category	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54

Category	Component	Description	Packaged Version
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.052
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 41: ucs-c245m8-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C245M8.6.0.1c.0.1010250108
CISCO	Board_Controller	Board Controller	21.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48

Category	Component	Description	Packaged Version
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002

Category	Component	Description	Packaged Version
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5997
AMD	UCSC-GPU-MI210	AMD MI-210 GPU; 300W 64GB, 2 slot FHFL	113-D67307V-073_3.16
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0C-1010.0200.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.10
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.00
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026

Category	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.43.2026
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036

Category	Component	Description	Packaged Version
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Category	Component	Description	Packaged Version
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80

Category	Component	Description	Packaged Version
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.052
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.052
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 42: ucs-c225m8-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C225M8.6.0.1b.0.1009252343
CISCO	Board_Controller	Board Controller	12.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360

Category	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5997
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25

Category	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB960M1H	960GB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS007

Category	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVB1T9M1H	1.92TB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Category	Component	Description	Packaged Version
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.052
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 43: ucs-c240m8-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C240M8.6.0.1b.0.1008251136
CISCO	Board_Controller	Board Controller	23.0

Category	Component	Description	Packaged Version
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.D9.00.0D-1010.0210.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,94.0
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_n0
NVIDIA	UCSC-GPU-H200-NVL	NVIDIA H200-NVL GPU 450W, 141GB, 2-slot FHFL	96.00.D9.00.0E-1010.0230.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.43.2026
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.43.2026

Category	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.43.2026
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.43.2026
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036

Category	Component	Description	Packaged Version
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007

Category	Component	Description	Packaged Version
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
MARVELL	UCSC-M2RR-240M8	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2002
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105

Category	Component	Description	Packaged Version
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54

Category	Component	Description	Packaged Version
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAIDMP1LL32	Cisco 24G TriMode M1 RAID Controller W/8GB FBWC LFF 32D	03.01.33.052
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.052
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBAMP1LL32	Cisco 24G TriMode M1 HBA LFF 32D	03.01.33.052
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Table 44: ucs-c220m8-huu-6.0.1.250174.iso

Category	Component	Description	Packaged Version
CISCO	CIMC	CIMC	6.0(1.250174)
CISCO	BIOS	BIOS	C220M8.6.0.1a.0.0722250022
CISCO	Board_Controller	Board Controller	20.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.34)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.34)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.34)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.34)-48
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.06.01
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.06.01

Category	Component	Description	Packaged Version
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.43.2026
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.43.2026
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.43.2026
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026

Category	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.43.2026
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS007
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVB61T4M3L	61.4TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS007
SAMSUNG	UCS-NVE11T6S1P	1.6TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE13T2S1P	3.2TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q

Category	Component	Description	Packaged Version
SAMSUNG	UCS-NVE16T4S1P	6.4TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE112T8S1P	12.8TB E3.S1T PM1745 HgPerf HgEnd Gen5 3X NVMe (TCG OPAL)	OPPA0K3Q
SAMSUNG	UCS-NVE11T9S1V	1.9TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE13T8S1V	3.8TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE17T6S1V	7.6TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
SAMSUNG	UCS-NVE115T3S1V	15.3TB E3.S1T PM1743 HgPerf MedEnd Gen5 1X NVMe (TCG OPAL)	OPPA0K5Q
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105

Category	Component	Description	Packaged Version
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.052
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.052
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250728100704732

Firmware Files for Release 6.0.1.250131

The Cisco Host Upgrade Utility contains the following files:

- ucs-c220m6-huu-6.0.1.250131.iso
- ucs-c240m6-huu-6.0.1.250131.iso
- ucs-c225m6-huu-6.0.1.250131.iso
- ucs-c245m6-huu-6.0.1.250131.iso
- ucs-c220m7-huu-6.0.1.250131.iso
- ucs-c240m7-huu-6.0.1.250131.iso
- ucs-c225m8-huu-6.0.1.250131.iso
- ucs-c245m8-huu-6.0.1.250131.iso

Firmware Files for 6.0(1)

- ucs-c220m8-huu-6.0.1.250131.iso
- ucs-c240m8-huu-6.0.1.250131.iso

Table 45: ucs-c240m6-huu-6.0.1.250131.iso

Vendor	Component	Description	Packaged Version
CISCO	Cisco IMC	CIMC	6.0(1.250127)
CISCO	BIOS	BIOS	C240M6.6.0.1b.0
CISCO	Board_Controller	Board Controller	42.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.33)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.33)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.33)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.33)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
MICROSEM	mswitch-1	PCIe-Switch-1	3.70.0.4F
MICROSEM	mswitch-2	PCIe-Switch-2	3.70.0.4F
MICROSEM	mswitch-3	PCIe-Switch-3	3.70.0.4F
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-SAS-M6HD	Cisco 12G SAS HBA	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5806
LSI	UCSC-RAID-M6HD	Cisco 12G SAS RAID Controller with 4GB FBWC	52.30.0-5806
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5806
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07

Vendor	Component	Description	Packaged Version
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006

Vendor	Component	Description	Packaged Version
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005

Vendor	Component	Description	Packaged Version
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Vendor	Component	Description	Packaged Version
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	X550-LOM	Intel X550 LOM	0x80001800-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80

Vendor	Component	Description	Packaged Version
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
PERSISTENT-MEMORY	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 46: ucs-c220m6-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250127)
CISCO	BIOS	BIOS	C220M6.6.0.1b.0
CISCO	Board_Controller	Board Controller	39.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.33)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.33)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.33)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.33)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Firmware Files for 6.0(1)

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5806
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026

Type	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005

Type	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036

Type	Component	Description	Packaged Version
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCSC-NVME2H-I1000	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCSC-NVME2H-I4000	Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCSC-NVMEHW-I8000	Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	X550-LOM	Intel X550 LOM	0x800017FE-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54

Type	Component	Description	Packaged Version
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553

Type	Component	Description	Packaged Version
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 128GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 256GB	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
PERSISTENT-MEMORY	DIMM	Intel Optane PMem 200 series 512GB	02.02.00.1553
PERSISTENT-MEMORY	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 47: ucs-c245m6-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250127)
CISCO	BIOS	BIOS	C245M6.6.0.1a.0
CISCO	Board_Controller	Board Controller	29.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.33)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.33)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.33)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.33)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48

Type	Component	Description	Packaged Version
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5806
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07

Type	Component	Description	Packaged Version
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0.0
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.00
NVIDIA	UCSC-GPU-A100	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C.0
NVIDIA	UCSC-GPU-A10	Nvidia A10 PCIe FHFL SS 24GB 150W	94.02.91.00.03-G133.0215.00.06-6.07,94.02.91.00
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25

Type	Component	Description	Packaged Version
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803

Type	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510

Type	Component	Description	Packaged Version
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07

Type	Component	Description	Packaged Version
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 48: ucs-c225m6-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250127)
CISCO	BIOS	BIOS	C225M6.6.0.1a.0
CISCO	Board_Controller	Board Controller	27.0
CISCO	UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455	5.4(1.33)
CISCO	UCSC-PCIE-C100-04	Cisco UCS VIC 1495	5.4(1.33)
CISCO	UCSC-M-V25-04	Cisco UCS VIC 1467 MLOM	5.4(1.33)
CISCO	UCSC-M-V100-04	Cisco UCS VIC 1477 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.33)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5806
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	UCSC-GPU-T4-16	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M5D25GF	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
NVIDIA	UCSC-P-M5D100GF	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25

Type	Component	Description	Packaged Version
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W3200	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W6400	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
WDC	UCS-NVMEM6-W7680	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803

Type	Component	Description	Packaged Version
WDC	UCS-NVMEM6-W15300	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	UCS-NVMEI4-I1920	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3840	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I7680	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I1600	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I3200	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVMEI4-I6400	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54

Type	Component	Description	Packaged Version
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-PCIE-ID40GF	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCSC-NVMEXP-I750	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCSC-NVMEXPB-I375	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
CISCO	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 49: ucs-c240m7-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250129)
CISCO	BIOS	BIOS	C240M7.6.0.1a.0
CISCO	Board_Controller	Board Controller	39.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.33)

Type	Component	Description	Packaged Version
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.33)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6SD	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5806
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5806
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
NVIDIA	UCSC-GPU-A100-80	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.A0.00.03-1001.0230.00.03-6.07,92.00.A0
NVIDIA	UCSC-GPU-A30	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.66.00.03-1001.0205.00.02-6.07,92.00.66.
NVIDIA	UCSC-GPU-A40	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	94.02.5C.00.03-G133.0200.00.05-5.01,94.02.5C
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.CE.00.0E-1010.0210.00.02-00.02.0192.0
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.AF.00.01-1010.0200.00.02-00.02.0185.00
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.101

Type	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026

Type	Component	Description	Packaged Version
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF006
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005

Type	Component	Description	Packaged Version
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54

Type	Component	Description	Packaged Version
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX170	Intel Data Center GPU Flex 170, FH-3/4L, 150W PCIe	DG02_1.3274-7.0.0.0
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.044

Type	Component	Description	Packaged Version
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 50: ucs-c220m7-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250129)
CISCO	BIOS	BIOS	C220M7.6.0.1a.0
CISCO	Board_Controller	Board Controller	37.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50G	Cisco UCS VIC 15428 MLOM	5.4(1.33)
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-M-V5D200G	Cisco UCS VIC 15238 MLOM	5.4(1.33)
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-SAS-M6T	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCSC-RAID-M6T	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5806
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5806
QLOGIC	UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026

Type	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
HERCULES	HX-PCIE-OFFLOAD-1	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	UCS-NVB7T6M2V9	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF006
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS005

Type	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80

Type	Component	Description	Packaged Version
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
INTEL	UCS-NVMEXP-I400	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCS-NVMEXP-I800	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
INTEL	UCSC-GPU-FLEX140	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 51: ucs-c245m8-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250130)
CISCO	BIOS	BIOS	C245M8.6.0.1b.0
CISCO	Board_Controller	Board Controller	21.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00

Firmware Files for 6.0(1)

Type	Component	Description	Packaged Version
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5806
AMD	UCSC-GPU-MI210	AMD MI-210 GPU; 300W 64GB, 2 slot FHFL	113-D67307V-073_3.16
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.CE.00.0E-1010.0210.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-H100-80	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	96.00.AF.00.01-1010.0200.00.02-00.02.0185.0000_
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,9
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000_
NVIDIA	UCSC-GPU-L40	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026

Type	Component	Description	Packaged Version
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005

Type	Component	Description	Packaged Version
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Type	Component	Description	Packaged Version
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.044

Type	Component	Description	Packaged Version
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 52: ucs-c225m8-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250130)
CISCO	BIOS	BIOS	C225M8.6.0.1a.0
CISCO	Board_Controller	Board Controller	12.0
CISCO	UCSC-PT5161L-RETIMER	Retimer Component	2.8.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	UCSC-RAID-HP	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
LSI	UCSC-9500-8E	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
LSI	UCS-M2-NVRAID	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5806
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
NVIDIA	UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026

Type	Component	Description	Packaged Version
NVIDIA	UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVB960M1H	960GB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVM2-960GB	960GB M.2 Boot NVMe	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVB1T9M1H	1.92TB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVM2-400GB	400GB M.2 Boot NVMe	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005

Type	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVB30T7M3L	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	UCS-NVME4-7680	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-15360	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-3840	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1920	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
INTEL	UCS-NVME4-1600	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-6400	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVME4-3200	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
INTEL	UCS-NVMEQ-1536	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-PCIE-IQ10GF	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
INTEL	UCSC-PCIE-ID10GF	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80

Type	Component	Description	Packaged Version
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 53: ucs-c240m8-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250127)
CISCO	BIOS	BIOS	C240M8.6.0.1a.0
CISCO	Board_Controller	Board Controller	23.0
CISCO	SasExpM6	SAS-EXPANDER	65.16.09.00
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
NVIDIA	UCSC-GPU-H100-NVL	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	96.00.CE.00.0E-1010.0210.00.02-00.02.0192.0000
NVIDIA	UCSC-GPU-A16	NVIDIA A16 PCIe FHFL DS 250W	94.07.62.00.04-G171.0200.00.04-4.01-20.43.1014,9
NVIDIA	UCSC-GPU-L40S	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.0134.0000

Firmware Files for 6.0(1)

Type	Component	Description	Packaged Version
NVIDIA	UCSC-GPU-H200-NVL	NVIDIA H200-NVL GPU 450W, 141GB, 2-slot FHFL	96.00.CE.00.0F-1010.0230.00.02-00.02.0192.0000_n0
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.43.2026
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.43.2026
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.43.2026
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026

Type	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.43.2026
NVIDIA	UCSC-P-N3220	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3140H	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005

Type	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
MARVELL	UCSC-M2RR-240M8	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2002
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105

Type	Component	Description	Packaged Version
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAIDMP1LL32	Cisco 24G TriMode M1 RAID Controller W/8GB FBWC LFF 32D	03.01.33.044
MICROCHIP	UCSC-RAID-MP1L32	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.044

Type	Component	Description	Packaged Version
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
MICROCHIP	UCSC-HBAMP1LL32	Cisco 24G TriMode M1 HBA LFF 32D	03.01.33.044
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Table 54: ucs-c220m8-huu-6.0.1.250131.iso

Type	Component	Description	Packaged Version
CISCO	Cisco IMC	Cisco IMC	6.0(1.250127)
CISCO	BIOS	BIOS	C220M8.6.0.1a.0
CISCO	Board_Controller	Board Controller	20.0
CISCO	UCSC-M-V5Q50GV2	Cisco UCS VIC 15427 MLOM	5.4(1.33)-48
CISCO	UCSC-P-V5D200G	Cisco UCS VIC 15235	5.4(1.33)-48
CISCO	UCSC-P-V5Q50G	Cisco UCS VIC 15425	5.4(1.33)-48
CISCO	UCSC-M-V5D200GV2	Cisco UCS VIC 15237 MLOM	5.4(1.33)-48
SOLIDIGM	UCS-NVB15T3O1L	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
SOLIDIGM	UCS-NVB3T8O1V	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB15TO1V	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB1T9O1V	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB7T6O1V	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
SOLIDIGM	UCS-NVB6T4O1P	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Type	Component	Description	Packaged Version
SOLIDIGM	UCS-NVB1T6O1P	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB12T8O1P	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
SOLIDIGM	UCS-NVB3T2O1P	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
QLOGIC	UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
QLOGIC	UCSC-P-Q7D64GF	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
BROADCOM	UCSC-PCIE-BD16GF	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
BROADCOM	UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	UCSC-GPU-L4	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
NVIDIA	UCSC-O-N6CD100GFO	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
NVIDIA	UCSC-P-M6CD100GFO	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.43.2026
NVIDIA	UCSC-P-M6DD100GFO	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.43.2026
NVIDIA	UCSC-O-N6CD25GFO	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
NVIDIA	UCSC-P-N6D25GFO	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.43.2026
NVIDIA	UCSC-P-N7D200GF	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026

Firmware Files for 6.0(1)

Type	Component	Description	Packaged Version
NVIDIA	UCSC-P-N7Q25GF	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7D200GFO	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.43.2026
NVIDIA	UCSC-P-N7Q25GFO	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GF	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
NVIDIA	UCSC-P-N7S400GFO	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.43.2026
NVIDIA	UCSC-P-N3220L	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
MICRON	UCS-NVMEG4-M960	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1920	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M7680	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1536	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MICRON	UCS-NVMEG4-M1600	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M3200	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
MICRON	UCS-NVMEG4-M6400	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005

Type	Component	Description	Packaged Version
MICRON	UCS-NVMEG4-M3840	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCSC-M2RM-M8	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
MARVELL	UCS-M2-HWRAID2	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
KIOXIA	UCS-NVE13T8K1V	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE17T6K1V	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE115T3K1V	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE13T2K1P	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE16T4K1P	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE112T8K1P	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T9K1V	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
KIOXIA	UCS-NVE11T6K1P	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
INTEL	UCSC-P-IQ1GC	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
INTEL	UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
INTEL	UCSC-P-I8Q25GF	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
INTEL	UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
INTEL	UCSC-P-ID10GC	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54

Type	Component	Description	Packaged Version
INTEL	UCSC-P-IQ10GC	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
INTEL	UCSC-O-ID10GC	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	UCSC-RAID-M1L16	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
MICROCHIP	UCSC-HBA-M1L16	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
MICROCHIP	Device Connector	DC packaged in CIMC	1.0.11-20250405003220933

Firmware Files for Release 6.0.1.250130

The Cisco Host Upgrade Utility contains the following files:

- ucs-c245m8-huu-6.0.1.250130.iso

Table 55: ucs-c245m8-huu-6.0.1.250130.iso

Category	Description	Packaged Version
CISCO	Cisco IMC	6.0(1.250130)
	BIOS	C245M8.6.0.1a.0.0707250829
	Board Controller	21.0
	SAS-EXPANDER	65.16.09.00
	Retimer Component	2.8.0
	Cisco UCS VIC 15427 MLOM	5.4(1.30)-48
	Cisco UCS VIC 15235	5.4(1.30)-48
	Cisco UCS VIC 15425	5.4(1.30)-48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)-48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Category	Description	Packaged Version
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5806
AMD	AMD MI-210 GPU; 300W 64GB, 2 slot FHFL	113-D67307V-073_3.16
QLOGIC	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
NVIDIA	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	9600CE000E-101002100002-00020192000_n00
	Nvidia H100 350W, 80GB, 2-slot FHFL PCIe GPU	9600AF0001-101002000002-00020185000_n00
	NVIDIA A16 PCIe FHFL DS 250W	[illegible]
	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95.02.66.00.15-G133.0242.00.03-00.02.01.34.0000_n02
	Nvidia L40, 300W, 48GB, 2-slot FHFL PCIe GPU	95.02.5D.00.05-G133.0250.00.01
	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026

Category	Description	Packaged Version
	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036
	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	960GB M.2 Boot NVMe	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	400GB M.2 Boot NVMe	E2CS005
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	Cisco Boot optimized M.2 Raid controller	2.3.17.1014

Category	Description	Packaged Version
INTEL	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
MICROCHIP	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.044
	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
	DC packaged in CIMC	1.0.11-20250405003220933

Firmware Files for Release 6.0.1.250127

The Cisco Host Upgrade Utility contains the following files:

- ucs-c220m6-huu-6.0.1.250127.iso
- ucs-c240m6-huu-6.0.1.250127.iso
- ucs-c225m6-huu-6.0.1.250127.iso
- ucs-c245m6-huu-6.0.1.250127.iso
- ucs-c220m7-huu-6.0.1.250127.iso
- ucs-c240m7-huu-6.0.1.250127.iso
- ucs-c225m8-huu-6.0.1.250127.iso
- ucs-c220m8-huu-6.0.1.250127.iso
- ucs-c240m8-huu-6.0.1.250127.iso

Table 56: ucs-c220m6-huu-6.0.1.250127.iso

Type	Component	Version
Cisco	Cisco IMC	6.0(1.250127)
	BIOS	C220M6.6.0.1b.0.0630252038
	Board Controller	39
	Cisco UCS VIC 1455	5.4(1.30)
	Cisco UCS VIC 1495	5.4(1.30)
	Cisco UCS VIC 1467 MLOM	5.4(1.30)
	Cisco UCS VIC 1477 MLOM	5.4(1.30)
	Cisco UCS VIC 15428 MLOM	5.4(1.30)
	Cisco UCS VIC 15427 MLOM	5.4(1.30)48
	Cisco UCS VIC 15235	5.4(1.30)48
	Cisco UCS VIC 15238 MLOM	5.4(1.30)
	Cisco UCS VIC 15425	5.4(1.30)48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
	Cisco 95008e 12G SAS HBA for external JBOD attach	31.65.07.00
	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.05806
QLOGIC	Qlogic QLE2692 dualport 16G FC HBA	10.03.07

Type	Component	Version
	CiscoQLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04G183.0200.00.02
	Nvidia L4, 72W, 24GB, singleslot HHHL PCIe GPU	95.04.65.00.13G193.0200.00.01
	CiscoMLNX MCX623106ACCDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	CiscoMLNX MCX623106ASCDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	CiscoNVDA MCX623436ACCDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
	CiscoNVDA MCX631432ACADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
	Mellanox ConnectX5 MCX512AACAT dual port 10/25GbE SFP28 NIC	16.35.3006
	Mellanox ConnectX5 MCX516ACDAT dual port 100GbE QSFP28 NIC	16.35.3006
	CiscoNVDA MCX631102ASADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	Emulex LPe31002 DualPort 16G FC HBA	14.4.393.25
	CiscoEmulex LPe35002M22x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	Hercules PCIe Compression and Cryptographic CPU Offload Card	18112081
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005

Type	Component	Version
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510

Type	Component	Version
	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
	Cisco 2.5 U.2 4TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
	Cisco 2.5 U.2 8TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
	Intel i350 Quad Port 1Gb Adapter	0x800011A41.837.0
	Intel X550 LOM	0x800017FE1.837.0
	Intel X710DA4 Quad Port 10Gb SFP converged NIC	0x8000FBE11.837.09.54
	Intel X710DA2 Dual Port 10Gb SFP converged NIC	0x8000FBE41.837.09.54
	Intel XL710QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE31.837.09.54
	Cisco Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB1.837.04.80
	Cisco Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A91.837.04.80
	Cisco Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE1.837.04.80
	Cisco Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE51.837.09.54
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE61.837.09.54
	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENTMEMORY	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553

Type	Component	Version
	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
	Intel Optane PMem 200 series 128GB	02.02.00.1553
	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
	Intel Optane PMem 200 series 256GB	02.02.00.1553
	Intel Optane PMem 200 series 256GB	02.02.00.1553
	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
	Intel Optane PMem 200 series 512GB	02.02.00.1553
	DC packaged in CIMC	1.0.1120250405003220933

Table 57: ucs-c240m6-huu-6.0.1.250127.iso

Type	Component	Version
CISCO	Cisco IMC	6.0(1.250127)
	BIOS	C240M6.6.0.1b.0
	Board Controller	42
	SASEXPANDER	65.16.09.00
	Cisco UCS VIC 1455	5.4(1.30)
	Cisco UCS VIC 1495	5.4(1.30)
	Cisco UCS VIC 1467 MLOM	5.4(1.30)
	Cisco UCS VIC 1477 MLOM	5.4(1.30)
	Cisco UCS VIC 15428 MLOM	5.4(1.30)
	Cisco UCS VIC 15427 MLOM	5.4(1.30)48
	Cisco UCS VIC 15235	5.4(1.30)48
	Cisco UCS VIC 15238 MLOM	5.4(1.30)
	Cisco UCS VIC 15425	5.4(1.30)48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)48
MICROSEM	PCIeSwitch1	3.70.0.4F
	PCIeSwitch2	3.70.0.4F
	PCIeSwitch3	3.70.0.4F

Type	Component	Version
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
	Cisco 12G SAS HBA	31.65.07.00
	Cisco 95008e 12G SAS HBA for external JBOD attach	31.65.07.00
	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.05806
	Cisco 12G SAS RAID Controller with 4GB FBWC	52.30.05806
	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.05806
QLOGIC	Qlogic QLE2692 dualport 16G FC HBA	10.03.07
	CiscoQLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	NVIDIA A100 PCIe FHFL DS 300W 80GB	9200A0003100102300026079200A0005100102300003
	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	9200660031001020500026079200660004100102050002
	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.081001.0200.00.04
	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	9402C0003G1330200005019402C000FG1330200005

Type	Component	Version
	Nvidia A10 PCIe FHFL SS 24GB 150W	9402910003G1330215000660794029100 2G1330215000 6
	NVIDIA A16 PCIe FHFL DS 250W	9 0 6 4 G 7 1 0 0 4 0 2 8 1 0 4 9 0 6 0 A D G 7 1 0 0 0 2 8 1 0 4
	Nvidia L4, 72W, 24GB, singleslot HHHL PCIe GPU	95.04.65.00.13G193.0200.00.01
	CiscoMLNX MCX623106ACCDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	CiscoMLNX MCX623106ASCDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	CiscoNVDA MCX623436ACCDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
	CiscoNVDA MCX631432ACADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
	Mellanox ConnectX5 MCX512AACAT dual port 10/25GbE SFP NIC	16.35.3006
	Mellanox ConnectX5 MCX516ACDAT dual port 100GbE QSFP NIC	16.35.3006
	CiscoNVDA MCX631102ASADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	Emulex LPe31002 DualPort 16G FC HBA	14.4.393.25
	CiscoEmulex LPe35002M22x32GFC Gen 7 PCIe HBA	14.4.393.25
HERCULES	Hercules PCIe Compression and Cryptographic CPU Offload Card	18112081
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005

Type	Component	Version
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510

Type	Component	Version
	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	Cisco 2.5 U.2 1TB Intel P4510 NVMe High Perf. Value Endurance	VDV1CP02
	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
	Intel i350 Quad Port 1Gb Adapter	0x800011A41.837.0
	Intel X550 LOM	0x800018001.837.0
	Intel X710DA4 Quad Port 10Gb SFP converged NIC	0x8000FBE11.837.09.54
	Intel X710DA2 Dual Port 10Gb SFP converged NIC	0x8000FBE41.837.09.54
	Intel XL710QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE31.837.09.54
	Cisco Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB1.837.04.80
	Cisco Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A91.837.04.80
	Cisco Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE1.837.04.80
	Cisco Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE51.837.09.54
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE61.837.09.54
	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
PERSISTENTMEM	Intel Optane PMem 200 series 128GB (QS)	02.02.00.1553
	Intel Optane PMem 200 series 256GB (QS)	02.02.00.1553

Type	Component	Version
	Intel Optane PMem 200 series 512GB (QS)	02.02.00.1553
	Intel Optane PMem 200 series 128GB (ES2)	02.02.00.1553
	Intel Optane PMem 200 series 128GB	02.02.00.1553
	Intel Optane PMem 200 series 256GB (ES2)	02.02.00.1553
	Intel Optane PMem 200 series 256GB	02.02.00.1553
	Intel Optane PMem 200 series 256GB	02.02.00.1553
	Intel Optane PMem 200 series 512GB (ES2)	02.02.00.1553
	Intel Optane PMem 200 series 512GB	02.02.00.1553
	DC packaged in CIMC	1.0.1120250405003220933

Table 58: ucs-c245m6-huu-6.0.1.250127.iso

Category	Description	Version
CISCO	CIMC	6.0(1.250127)
	BIOS	C245M6.6.0.1a.0.0626250258
	Board Controller	29.0
	SAS-EXPANDER	65.16.09.00
	Cisco UCS VIC 1455	5.4(1.30)
	Cisco UCS VIC 1495	5.4(1.30)
	Cisco UCS VIC 1467 MLOM	5.4(1.30)
	Cisco UCS VIC 1477 MLOM	5.4(1.30)
	Cisco UCS VIC 15428 MLOM	5.4(1.30)
	Cisco UCS VIC 15427 MLOM	5.4(1.30)-48
	Cisco UCS VIC 15235	5.4(1.30)-48
	Cisco UCS VIC 15238 MLOM	5.4(1.30)
	Cisco UCS VIC 15425	5.4(1.30)-48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)-48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Category	Description	Version
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
	Cisco 12G SAS RAID Controller with 4GB FBWC (28 Drives)	52.30.0-5806
QLOGIC	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07
	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	NVIDIA A100 PCIe FHFL DS 300W 80GB	92.00.90.00.08-1001.0200.00.04,92.00.90.00.08-1001.0200.00.03
	Nvidia A30 PCIe FHFL DS 24GB HBM2 165W	92.00.90.00.08-1001.0250.02.07,92.00.90.00.04-1001.0250.02
	NVIDIA A100 PCIe FHFL DS 250W 40GB	92.00.90.00.08-1001.0200.00.04
	NVIDIA A40 PCIe FHFL DS 48GB GDDR6 300W	92.00.90.00.08-1001.0300.00.05,92.00.90.00.0F-1001.0300.00.05
	Nvidia A10 PCIe FHFL SS 24GB 150W	92.00.90.00.08-1001.0150.00.06,92.00.90.00.02-1001.0150.00.06
	NVIDIA A16 PCIe FHFL DS 250W	94.00.A7.00.04-2801.4070.00.01,94.00.A7.00.04-2801.4070.00.04
	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006

Category	Description	Version
	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036

Category	Description	Version
	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54

Category	Description	Version
	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	DC packaged in CIMC	1.0.11-20250405003220933

Table 59: ucs-c225m6-huu-6.0.1.250127.iso

Category	Description	Packaged Version
CISCO	Cisco IMC	6.0(1.250127)
	BIOS	C225M6.6.0.1a.0
	Board Controller	27.0
	Cisco UCS VIC 1455	5.4(1.30)
	Cisco UCS VIC 1495	5.4(1.30)
	Cisco UCS VIC 1467 MLOM	5.4(1.30)
	Cisco UCS VIC 1477 MLOM	5.4(1.30)
	Cisco UCS VIC 15428 MLOM	5.4(1.30)
	Cisco UCS VIC 15427 MLOM	5.4(1.30)-48
	Cisco UCS VIC 15235	5.4(1.30)-48
	Cisco UCS VIC 15238 MLOM	5.4(1.30)
	Cisco UCS VIC 15425	5.4(1.30)-48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)-48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510

Category	Description	Packaged Version
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5806
QLOGIC	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07
	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
NVIDIA	NVIDIA T4 PCIe 16GB 70W	90.04.B4.00.04-G183.0200.00.02
	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Mellanox ConnectX-5 MCX512A-ACAT dual port 10/25GbE SFP28 NIC	16.35.3006
	Mellanox ConnectX-5 MCX516A-CDAT dual port 100GbE QSFP28 NIC	16.35.3006
	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
BROADCOM	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005

Category	Description	Packaged Version
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
WDC	1.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	3.2TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	6.4TB 2.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	R2210803
	7.6TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
	15.3TB 2.5in U.2 WD SN840 NVMe Extreme Perf. Value Endurance	R2210803
INTEL	1.9TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	3.8TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5in U.2 Intel P5500 NVMe High Perf Medium Endurance	2CV1C036
	1.6TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	3.2TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	6.4TB 2.5in U.2 Intel P5600 NVMe High Perf Medium Endurance	2CV1C036
	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510

Category	Description	Packaged Version
	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
	Intel i350 Quad Port 1Gb Adapter	0x800011A4-1.837.0
	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
	Intel XL710-QDA2 Dual Port 40Gb QSFP converged NIC	0x8000FBE3-1.837.0-9.54
	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
	Cisco 2.5 750GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	Cisco 2.5 375GB Intel Optane NVMe Extreme Performance SSD	E201CP07
	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	DC packaged in CIMC	1.0.11-20250405003220933

Table 60: ucs-c220m7-huu-6.0.1.250127.iso

Category	Description	Packaged Version
CISCO	Cisco IMC	6.0(1.250127)
	BIOS	C220M7.6.0.1a.0
	Board Controller	37.0
	Retimer Component	2.8.0
	Cisco UCS VIC 15428 MLOM	5.4(1.30)
	Cisco UCS VIC 15427 MLOM	5.4(1.30)-48
	Cisco UCS VIC 15235	5.4(1.30)-48
	Cisco UCS VIC 15238 MLOM	5.4(1.30)
	Cisco UCS VIC 15425	5.4(1.30)-48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)-48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
	Cisco 12G SAS HBA (16 Drives)	31.65.07.00
	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
	Cisco 12G SAS RAID Controller with 4GB FBWC (16 Drives)	52.30.0-5806
	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5806
QLOGIC	Qlogic QLE2692 dual-port 16G FC HBA	10.03.07

Category	Description	Packaged Version
	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
BROADCOM	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
HERCULES	Hercules PCIe Compression and Cryptographic CPU Offload Card	1811-2081
MICRON	7.6TB 2.5in U.3 15mm Micron 7500 HgPerf MedEnd 1X NVMe FIPS	E3MF006
	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	960GB M.2 Boot NVMe	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	400GB M.2 Boot NVMe	E2CS005
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005

Category	Description	Packaged Version
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
	2.5" U.2 400GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	2.5" U.2 800GB Intel P5800X Optane NVMe Extreme Performance SSD	L031CP02
	Intel Data Center GPU Flex 140, HHHL, 75W PCIe	DG02_2.2280-7.0.0.0
MICROCHIP	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
	DC packaged in CIMC	1.0.11-20250405003220933

Table 61: ucs-c225m8-huu-6.0.1.250127.iso

Category	Description	Packaged Version
CISCO	Cisco IMC	6.0(1.250130)
	BIOS	C225M8.6.0.1a.0.0707250830
	Board Controller	12.0
	Retimer Component	2.8.0
	Cisco UCS VIC 15427 MLOM	5.4(1.30)-48
	Cisco UCS VIC 15235	5.4(1.30)-48
	Cisco UCS VIC 15425	5.4(1.30)-48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)-48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
LSI	Cisco Tri-Mode 24G SAS RAID Controller w/4GB Cache	8.10.1.0-00065-00002
	Cisco 9500-8e 12G SAS HBA for external JBOD attach	31.65.07.00
	Cisco boot optimized M.2 NVMe RAID controller	52.30.0-5806
QLOGIC	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05

Category	Description	Packaged Version
BROADCOM	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC	22.43.2026
	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
	Cisco-NVDA MCX631432AC-ADAB CX6 Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
	Cisco-NVDA MCX631102AS-ADAT CX6 Lx 2x25G SFP28 x8 PCIe NIC	26.43.2026
	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	960GB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
	960GB M.2 Boot NVMe	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.92TB 2.5in U.3 Micron XTR NVMe High Perf Extreme Endurance	E2XC000
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	400GB M.2 Boot NVMe	E2CS005

Category	Description	Packaged Version
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	30.7TB 2.5in U.2 15mm Micron 6550 HgPerf EcoEnd G5 <1X NVMe	G1MU003
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	Cisco Boot optimized M.2 Raid controller	2.3.17.1014
INTEL	7.6TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	15.3TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	3.8TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.9TB 2.5" U.2 P5520 NVMe High Perf Medium Endurance	9CV10510
	1.6TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	6.4TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	3.2TB 2.5" U.2 P5620 NVMe High Perf High Endurance	9CV10510
	15.3TB 2.5in U.2 P5316 NVMe High Perf Low Endurance	ACV10360
	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
	Intel X710-DA4 Quad Port 10Gb SFP+ converged NIC	0x8000FBE1-1.837.0-9.54
	Intel X710-DA2 Dual Port 10Gb SFP+ converged NIC	0x8000FBE4-1.837.0-9.54
	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80

Category	Description	Packaged Version
	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
	DC packaged in CIMC	1.0.11-20250405003220933

Table 62: ucs-c240m8-huu-6.0.1.250127.iso

Category	Description	Packaged Version
CISCO	Cisco IMC	6.0(1.250127)
	BIOS	C240M8.6.0.1a.0.0722250022
	Board Controller	23.0
	SAS-EXPANDER	65.16.09.00
	Cisco UCS VIC 15427 MLOM	5.4(1.30)-48
	Cisco UCS VIC 15235	5.4(1.30)-48
	Cisco UCS VIC 15425	5.4(1.30)-48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)-48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510

Category	Description	Packaged Version
	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
QLOGIC	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
NVIDIA	NVIDIA H100-NVL GPU 400W, 94GB, 2-slot FHFL PCIe GPU	9600CE000E-10100210000200020192000_r00
	NVIDIA A16 PCIe FHFL DS 250W	9[illegible]
	NVIDIA L40S GPU: 350W, 48GB, 2-Slot FHFL	95026600.15-G133.0242000300020134000_r02
	NVIDIA H200-NVL GPU 450W, 141GB, 2-slot FHFL	9600CE000F-10100230000200020192000_r00
	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01
	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.43.2026
	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.43.2026
	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.43.2026
	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.43.2026
	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026

Category	Description	Packaged Version
	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.43.2026
	Nvidia OEM BlueField-3 B3220 DPU 2x200G QSFP112, Crypto Disabled	32.44.1036
	Nvidia OEM BlueField-3 B3140H SuperNIC 1x400G QSFP112, Crypto Disabled	32.44.1036
	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
BROADCOM	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2002
KIOXIA	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105

Category	Description	Packaged Version
	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
INTEL	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	Cisco 24G TriMode M1 RAID Controller W/8GB FBWC LFF 32D	03.01.33.044
	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (32 Drives)	03.01.33.044
	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
	Cisco 24G TriMode M1 HBA LFF 32D	03.01.33.044
	DC packaged in CIMC	1.0.11-20250405003220933


Table 63: ucs-c220m8-huu-6.0.1.250127.iso

Category	Description	Packaged Version
CISCO	Cisco IMC	6.0(1.250127)
	BIOS	C220M8.6.0.1a.0.0722250022
	Board Controller	20.0
	Cisco UCS VIC 15427 MLOM	5.4(1.30)-48
	Cisco UCS VIC 15235	5.4(1.30)-48
	Cisco UCS VIC 15425	5.4(1.30)-48
	Cisco UCS VIC 15237 MLOM	5.4(1.30)-48
SOLIDIGM	15.3TB 2.5in U.2 Solidigm P5316 NVMe High Perf Low Endurance	ACV10360
	3.8TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	15.3TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	1.9TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	7.6TB 2.5in U.2 Solidigm P5520 NVMe High Perf. Medium Endurance	9CV10510
	6.4TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	1.6TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	12.8TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
	3.2TB 2.5in U.2 Solidigm P5620 NVMe High Perf. High Endurance	9CV10510
QLOGIC	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA	8.05.05
	Cisco-QLogic QLE2872, 2x64GFC Gen 7 PCIe HBA	8.05.05
BROADCOM	Emulex LPe31002 Dual-Port 16G FC HBA	14.4.393.25
	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA	14.4.393.25
NVIDIA	Nvidia L4, 72W, 24GB, single-slot HHHL PCIe GPU	95.04.65.00.13-G193.0200.00.01

Category	Description	Packaged Version
	NVIDIA OEM MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC	22.43.2026
	NVIDIA OEM MCX623106AC-CDAT 2x100 GbE QSFP56 PCIe Crypto Enabled	22.43.2026
	NVIDIA OEM MCX623106AS-CDAT 2x100 GbE QSFP56 PCIe Crypto Disabled	22.43.2026
	NVIDIA OEM MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC	26.43.2026
	NVIDIA OEM MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC	26.43.2026
	Cisco-NVDA MCX755106AS-HEAT 2x200GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX713104AS-ADAT 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
	NVIDIA OEM MCX755106AS-HEAT 2x200GbE QSFP112 Gen5x16, PCIe VPI NIC; No Crypto	28.43.2026
	NVIDIA OEM MCX713104AS-ADAT CX-7 4x25GbE SFP56 Gen4 x16 PCIe NIC	28.43.2026
	Cisco-NVDA MCX715105AS-WEAT 1x400GbE QSFP112 Gen5 x16 PCIe NIC	28.43.2026
	NVIDIA OEM MCX715105AS-WEAT CX-7 1x400GbE QSFP112 PCIe Gen5 x16 VPI NIC	28.43.2026
	NVIDIA BlueField-3 B3220L SuperNIC 2x200G QSFP112, PCIe Gen5.0 x16, Crypto Disabled	32.44.1036
MICRON	960GB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.9TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	7.6TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	15.3TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
	1.6TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005

Category	Description	Packaged Version
	3.2TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	6.4TB 2.5in U.3 Micron 7450 NVMe High Perf High Endurance	E2CS005
	3.8TB 2.5in U.3 Micron 7450 NVMe High Perf Medium Endurance	E2CS005
MARVELL	UCS C220/240 M8 Rear Hot-plug M.2 module (MLOM)	2.3.17.2002
	Cisco Boot optimized M.2 Raid controller for SATA drives	2.3.17.2002
	UCS C240 M8 Rear Hot-plug M.2 module (Riser 3)	2.3.17.2002
KIOXIA	3.8TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
	7.6TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
	15.3TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
	3.2TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
	6.4TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
	12.8TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
	1.9TB E3.S1T KCD8XPJE HgPerf MedEnd Gen5 1X NVMe (SIE SCEF)	1YETE105
	1.6TB E3.S1T KCD8XPJE HgPerf HgEnd Gen5 3X NVMe (SIE SCEF)	1YETE105
INTEL	Cisco(R) I710T4LG 4x1 GbE RJ45 PCIe NIC	0x8000FBE2-1.837.0-9.54
	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC	0x800206AB-1.837.0-4.80
	Cisco - Intel E810XXVDA4 4x25/10 GbE SFP28 PCIe NIC	0x800206A9-1.837.0-4.80
	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC	0x800206AE-1.837.0-4.80
	Cisco - Intel X710T2LG 2x10 GbE RJ45 PCIe NIC	0x8000FBE5-1.837.0-9.54

Category	Description	Packaged Version
	Cisco(R) X710T4LG 4x10 GbE RJ45 PCIe NIC	0x8000FBE6-1.837.0-9.54
	Cisco(R) X710T2LG 2x10 GbE RJ45 OCP 3.0 NIC	0x8000FBE7-1.837.0-9.54
MICROCHIP	Cisco Trimode M1 24G RAID Controller W/4GB FBWC (16 Drives)	03.01.33.044
	Cisco Trimode M1 24G HBA Controller (16 Drives)	03.01.33.044
	DC packaged in CIMC	1.0.11-20250405003220933



CHAPTER 4

HDD Firmware

- HDD Firmware for 6.0, on page 381

HDD Firmware for 6.0

Following table lists the supported HDD models and the firmware versions that can be updated using Host Upgrade Utility (HUU).

- HDD Firmware for 6.0(1), on page 391

HDD Firmware for 6.0(2)

The section contains the HDD firmware for the release 6.0(2):

Table 64: HDD Firmware Update Support

HDD / SSD Description	Model	Latest Firmware
300GB 6/12Gb SAS 15K RPM SFF HDD/hot plug/sled mounted	AL13SXB30EN	5703
600GB 12Gb SAS 15K RPM SFF HDD/hot plug/sled mounted	AL13SXB60EN	5703
300GB SAS 12Gb 10K rpm SFF 2.5 inch	AL14SEB030N	5705
600GB SAS 12Gb 10K rpm SFF 2.5 inch	AL14SEB060N	5705
1.2TB SAS 12Gb 10K rpm SFF 2.5 inch	AL14SEB120N	5705
300GB 12G SAS 15K RPM SFF HDD	AL14SXB30EN	5704
600GB 12G SAS 15K RPM SFF HDD	AL14SXB60EN	5704
900GB 12G SAS 15K RPM SFF HDD	AL14SXB90EN	5704
300GB 12G SAS 10K RPM SFF HDD	AL15SEB030N	5704
600GB 12G SAS 10K RPM SFF HDD	AL15SEB060N	5704
1.2TB 12G SAS 10K RPM SFF HDD	AL15SEB120N	5704
1.8TB 12G SAS 10K RPM SFF HDD (4K)	AL15SEB18EP	5704
2.4TB 12G SAS 10K RPM SFF HDD (4K)	AL15SEB24EP	5704

HDD / SSD Description	Model	Latest Firmware
1.2TB 12Gb SAS 10K RPM SFF HDD	HUC101812CSS200	AD50
1.2TB 12G SAS 10K RPM SFF HDD (SED)	HUC101812CSS205	DA01
1.8TB 12G SAS 10K RPM SFF HDD (4K)	HUC101818CS4200	AD50
10TB 12Gb SAS 7.2K RPM LFF HDD (4K)	HUH721010AL4200	A3Z4
10TB 12Gb SAS 7.2K RPM LFF HDD (4K)	HUH721010AL42C0	A3Z4
12TB 12G SAS 7.2K RPM LFF HDD (4K)	HUH721212AL4200	A630
12TB 7.2krpm LFF HDD 4K format SED	HUH721212AL4205	D630
2TB 12G SAS 7.2K RPM LFF HDD	HUS726020ALS210	ADD5
4TB 12G SAS 7.2K RPM LFF HDD	HUS726040ALS210	ADD5
4TB 7.2k rpm LFF SED HDD	HUS726040ALS215	DDD5
6TB 12G SAS 7.2K RPM LFF HDD (4K)	HUS726060AL4210	ADD5
6TB 7.2K rpm LFF SED HDD (4K)	HUS726060AL4215	DDD5
4TB 12G SAS 7.2K RPM LFF HDD	HUS726T4TALS200	A40K
4TB 7.2k rpm LFF HDD (SED)	HUS726T4TALS205	D40K
6TB 12G SAS 7.2K RPM LFF HDD (4K)	HUS726T6TAL4200	A40K
6TB 7.2krpm LFF HDD (4K format, SED)	HUS726T6TAL4205	D40K
8TB 12G SAS 7.2K RPM LFF HDD (4K)	HUS728T8TAL4200	A9GH
3.8TB 2.5 inch Enterprise value 12G SAS SSD (1DWPD, SED-FIPS)	KPM6WRUG3T84	0109
7.6TB 2.5 inch Enterprise value 12G SAS SSD (1DWPD, SED-FIPS)	KPM6WRUG7T68	0109
960GB 2.5 inch Enterprise value 12G SAS SSD (1DWPD, SED-FIPS)	KPM6WRUG960G	0109
1.6TB 2.5 inch Enterprise performance 12G SAS SSD (3DWPD, SED-FIPS)	KPM6WVUG1T60	0109
800GB 2.5 inch Enterprise performance 12G SAS SSD (3DWPD, SED-FIPS)	KPM6WVUG800G	0109
15.3TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG15T3	0109
1.9TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG1T92	0109
3.8TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG3T84	0109
7.6TB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG7T68	0109
960GB 2.5 inch Enterprise Value 12G SAS SSD	KPM6XRUG960G	0109
1.6TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	KPM6XVUG1T60	0109

HDD / SSD Description	Model	Latest Firmware
3.2TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	KPM6XVUG3T20	0109
800GB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	KPM6XVUG800G	0109
3.8TB 2.5 inch Enterprise value 12G SAS SSD (1DWPD, SED-FIPS)	KPM7WRUG3T84	0105
7.6TB 2.5 inch Enterprise value 12G SAS SSD (1DWPD, SED-FIPS)	KPM7WRUG7T68	0105
1.6TB 2.5 inch Enterprise performance 12G SAS SSD (3DWPD, SED-FIPS)	KPM7WVUG1T60	0105
15.3TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG15T3	0105
1.9TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG1T92	0105
3.8TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG3T84	0105
7.6TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG7T68	0105
1.6TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	KPM7XVUG1T60	0105
3.2TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	KPM7XVUG3T20	0105
2TB 12G SAS 7.2K RPM LFF HDD	MG04SCA20EN	5705
4TB 12G SAS 7.2K RPM LFF HDD	MG04SCA40EN	5705
6TB 12G SAS 7.2K RPM LFF HDD (4K)	MG04SCA60EA	5705
6TB 12G SAS 7.2K RPM LFF HDD (4K)	MG06SCA600A	5705
8TB 12G SAS 7.2K RPM LFF HDD (4K)	MG06SCA800A	5705
14TB 12G SAS 7.2K RPM LFF HDD(4K)	MG07SCA14TAY	5702
16TB 12G SAS 7.2K RPM LFF HDD(4K)	MG08SCA16TAY	5702
4TB 12G SAS 7.2K RPM LFF HDD	MG08SDA400NY	5703
6TB 12G SAS 7.2K RPM LFF HDD (4K)	MG08SDA600AY	5703
8TB 12G SAS 7.2K RPM LFF HDD (4K)	MG08SDA800AY	5703
14TB 12G SAS 7.2K RPM LFF HDD(4K)	MG09SCA14TAY	5702
16TB 12G SAS 7.2K RPM LFF HDD(4K)	MG09SCA16TAY	5702
20TB 12G SAS 7.2K RPM LFF HDD(4K)	MG10SCA20TAY	5704
4TB 12G SAS 7.2K RPM LFF HDD	MG10SDA400NY	5705
6TB 12G SAS 7.2K RPM LFF HDD (4K)	MG10SDA600AY	5705
8TB 12G SAS 7.2K RPM LFF HDD (4K)	MG10SDA800AY	5705

HDD / SSD Description	Model	Latest Firmware
14TB 3.5in 12G SAS 7.2K RPM 4K Front Load Toshiba LFF HDD	MG11SCA14TEY	5702
16TB 3.5in 12G SAS 7.2K RPM 4K Front Load Toshiba LFF HDD	MG11SCA16TEY	5702
18TB 3.5in 12G SAS 7.2K RPM 4K Front Load Toshiba LFF HDD	MG11SCA18TEY	5702
20TB 3.5in 12G SAS 7.2K RPM 4K Front Load Toshiba LFF HDD	MG11SCA20TEY	5702
22TB 3.5in 12G SAS 7.2K RPM 4K Front Load Toshiba LFF HDD	MG11SCA22TEY	5702
24TB 3.5in 12G SAS 7.2K RPM 4K Front Load Toshiba LFF HDD	MG11SCA24TEY	5702
120GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK120TCC	D0MH077
120GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK120TDT	D3MC000
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TCC	D0MH077
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TDN	D1MH031
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TDT	D3MC000
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TGB	D4CS000
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TBY	D0MH077
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TDC	D1MH031
1.9TB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK1T9TDN	D1MH031
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TDS	D3MC000
1.9TB Enterprise value SATA SSD (1X , SED)	MTFDDAK1T9TDS_SED	D3MC000
1.9TB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK1T9TDT	D3MC000
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TGA	D4CS000
1.9TB Enterprise value SATA SSD (1X , SED)	MTFDDAK1T9TGA_SED	D4CS001
1.9TB 2.5in Enterprise performance 6G SATA SSD(3X endurance)	MTFDDAK1T9TGB	D4CS000
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TCB	D0MH077
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TDS	D3MC000
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TGA	D4CS000
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TBY	D0MH447
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TDC	D1MH431

HDD / SSD Description	Model	Latest Firmware
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TDS	D3MC000
3.8TB Enterprise value SATA SSD (1X, SED)	MTFDDAK3T8TDS_SED	D3MC000
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TGA	D4CS000
3.8TB Enterprise value SATA SSD (1X, SED)	MTFDDAK3T8TGA_SED	D4CS001
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TCB	D0MH077
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TDC	D1MH031
480GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK480TDN	D1MH031
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TDS	D3MC000
480GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK480TDT	D3MC000
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TGA	D4CS000
480GB 2.5in Enterprise performance 6G SATA SSD(3X endurance)	MTFDDAK480TGB	D4CS000
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TBY	D0MH847
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TDC	D1MH831
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TDS	D3MC000
7.6TB Enterprise value SATA SSD (1X, SED)	MTFDDAK7T6TDS_SED	D3MC000
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TGA	D4CS000
7.6TB Enterprise Value SATA SSD (1X, SED)	MTFDDAK7T6TGA_SED	D4CS001
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TCB	D0MH077
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TDC	D1MH031
960GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK960TDN	D1MH031
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TDS	D3MC000
960GB Enterprise value SATA SSD (1X , SED)	MTFDDAK960TDS_SED	D3MC000
960GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK960TDT	D3MC000
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TGA	D4CS000
960GB Enterprise Value SATA SSD (1X , SED)	MTFDDAK960TGA_SED	D4CS001
960GB 2.5in Enterprise performance 6G SATA SSD(3X endurance)	MTFDDAK960TGB	D4CS000
1.9TB SATA M.2 SSD	MTFDDAV1T9TDS	D3MC000
240GB M.2 6G SATA SSD	MTFDDAV240TCB	D0MH077

HDD / SSD Description	Model	Latest Firmware
240GB SATA M.2	MTFDDAV240TDS	D3MC000
240GB SATA M.2	MTFDDAV240TGA	D4CS000
480GB M.2 SATA SSD	MTFDDAV480TGA	D4CS000
960GB M.2 6G SATA SSD	MTFDDAV960TCB	D0MH077
960GB SATA M.2	MTFDDAV960TDS	D3MC000
960GB SATA M.2	MTFDDAV960TGA	D4CS000
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7L31T9HBLT-00AK1	JXTC3F3Q
1.9TB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L31T9HELA-00AK0	JXTG2F3Q
1.9TB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L31T9HELA-00AK1	JXTG2F3Q
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7L33T8HBLT-00AK1	JXTC3F3Q
3.8TB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L33T8HELA-00AK0	JXTG2F3Q
3.8TB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L33T8HELA-00AK1	JXTG2F3Q
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7L37T6HBLA-00AK1	JXTC3F3Q
7.6TB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L37T6HELA-00AK0	JXTG2F3Q
7.6TB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L37T6HELA-00AK1	JXTG2F3Q
960GB 2.5 inch Enterprise Value 6G SATA SSD	MZ7L3960HCJR-00AK1	JXTC3F3Q
960GB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L3960HELT-00AK0	JXTG2F3Q
960GB 2.5in 6G SATA Enter Value 1X Samsung G1PM893A SSD	MZ7L3960HELT-00AK1	JXTG2F3Q
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7LH1T9HMLT-00003	HXT7DF3Q
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LH3T8HMLT-00003	HXT7DF3Q
7.6TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LH7T6HMLA-00003	HXT7DF3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LH960HAJR-00003	HXT7DF3Q
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7LM1T9HMJP-00003	GXT51F3Q
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MZ7LM1T9HMJP00003	GXT51F3Q
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM3T8HCJM-00003	GXT33F3Q
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM3T8HCJM00003	GXT33F3Q

HDD / SSD Description	Model	Latest Firmware
3.8TB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM3T8HMLP-00003	GXT51F3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM960HCHP-00003	GXT33F3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM960HCHP00003	GXT33F3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM960HMJP-00003	GXT51F3Q
960GB 2.5 inch 6Gb Enterprise Value SSD	MZ7LM960HMJP00003	GXT51F3Q
480GB 2.5 inch Enterprise Performance 6Gb SATA SSD	SSDSC2BX480G4K	G201CS01
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB038T7K	SCV1CS08
3.8TB 2. inch Enterprise Value 6G SATA SSD	SSDSC2KB038T8K	XCV1CS06
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB038TZK	7CV1CS06
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB038TZK	7CV1CS06
480GB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB480G7K	SCV1CS08
480GB 2.5inch Enterprise Value 6G SATA SSD	SSDSC2KB480G8K	XCV1CS06
480GB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB480GZK	7CV1CS06
480GB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB480GZK	7CV1CS06
960GB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB960G7K	SCV1CS08
960GB 2.5inch Enterprise Value 6G SATA SSD	SSDSC2KB960G8K	XCV1CS06
960GB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB960GZK	7CV1CS06
960GB 2.5 inch Enterprise Value 6G SATA SSD	SSDSC2KB960GZK	7CV1CS06
1.9TB 2.5 inch Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG019T7K	SCV1CS08
1.9TB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	SSDSC2KG019T8K	XCV1CS06
1.9TB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG019TZK	7CV1CS06
1.9TB 2.5 inch Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG019TZK	7CV1CS06
3.8TB 2.5 inch Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG038TZK	7CV1CS06
3.8TB 2.5 in Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG038TZK	7CV1CS06
480GB 2.5 inch Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG480G7K	SCV1CS08
480GB 2.5in Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG480G8K	XCV1CS06

HDD / SSD Description	Model	Latest Firmware
480GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG480GZK	7CV1CS06
480GB 2.5 inch Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG480GZK	7CV1CS06
960GB 2.5 inch Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG960G7K	SCV1CS08
960GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	SSDSC2KG960G8K	XCV1CS06
960GB 2.5 inch Enterprise performance 6GSATA SSD (3X endurance)	SSDSC2KG960GZK	7CV1CS06
960GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	SSDSC2KG960GZK	7CV1CS06
240GB M.2 Boot Solidigm S4520 SATA 1X SSD	SSDSCKKB240GZK	7CV1CS06
240GB SATA M.2 SSD	SSDSCKKB240GZK	7CV1CS06
480GB M.2 Boot Solidigm S4520 SATA 1X SSD	SSDSCKKB480GZK	7CV1CS06
480GB SATA M.2 SSD	SSDSCKKB480GZK	7CV1CS06
10TB 12G SAS 7.2K RPM LFF HDD (4K)	ST10000NM011G	CK01
10TB 12G SAS 7.2K RPM LFF HDD (4K)	ST10000NM024B	CK03
10TB 12Gb SAS 7.2K RPM LFF HDD (4K)	ST10000NM0528	CK02
1TB 12G SAS 7.2K RPM LFF HDD	ST1000NM0045	CN05
1TB 12G SAS 7.2K RPM LFF HDD	ST1000NM005A	CN04
12TB 12G SAS 7.2K RPM LFF HDD (4K)	ST12000NM0038	CK02
12TB 12G SAS 7.2K RPM LFF HDD (4K)	ST12000NM006J	CK04
12TB 12G SAS 7.2K RPM LFF HDD (4K)	ST12000NM009G	CK01
1.2TB 12G SAS 10K RPM SFF HDD	ST1200MM0009	CN08
1.2TB 12G SAS 10K RPM SFF HDD (SED)	ST1200MM0069	CN08
1.2TB SAS 12Gb 10K rpm SFF HDD	ST1200MM0088	N0A6
1.2 TB 12G SAS 10K RPM SFF HDD	ST1200MMY009	CN08
1.2TB 12G SAS 10K RPM SFF HDD (SED-FIPS)	ST1200MMY069	CN08
18TB 12G SAS 7.2K RPM LFF HDD (4K)	ST18000NM006J	CK04
1.8TB 12G SAS 10K RPM SFF HDD (4K)	ST1800MM0008	K0A6
1.8TB 12G SAS 10K RPM SFF HDD (4K)	ST1800MM0048	KF04
1.8 TB 12G SAS 10K RPM SFF HDD (4K)	ST1800MM0129	CK08
1.8TB 12G SAS 10K RPM SFF HDD (4K format, SED)	ST1800MM0149	CK08

HDD / SSD Description	Model	Latest Firmware
1.8 TB 12G SAS 10K RPM SFF HDD (4K)	ST1800MMV129	CK08
1.8TB 12G SAS 10K RPM SFF HDD (4K format, SED)	ST1800MMV149	CK08
1.8TB 12G SAS 10K RPM SFF HDD (4K)	ST1800MMW129	CK08
1.8TB 12G SAS 10K RPM SFF HDD (4K format, SED)	ST1800MMW149	CK08
1.8TB 12G SAS 10K RPM SFF HDD (4K)	ST1800MMY129	CK08
1.8TB 12G SAS 10K RPM SFF HDD (4K format, SED)	ST1800MMY149	CK08
2TB 12G SAS 7.2K RPM LFF HDD	ST2000NM0045	CN05
2TB 12G SAS 7.2K RPM LFF HDD	ST2000NM013A	CN04
2.4TB 12G SAS 10K RPM SFF HDD (4K)	ST2400MM0129	CK08
2.4 TB 12G SAS 10K RPM SFF HDD (4K) SED	ST2400MM0149	CK08
2.4TB 12G SAS 10K RPM SFF HDD (4K)	ST2400MMV129	CK08
2.4 TB 12G SAS 10K RPM SFF HDD (4K) SED	ST2400MMV149	CK08
2.4TB 12G SAS 10K RPM SFF HDD (4K)	ST2400MMW129	CK08
2.4TB 12G SAS 10K RPM SFF HDD (4K format, SED)	ST2400MMW149	CK08
2.4 TB 12G SAS 10K RPM SFF HDD (4K)	ST2400MMY129	CK08
2.4 TB 12G SAS 10K RPM SFF HDD (4K) SED	ST2400MMY149	CK08
300GB 12G SAS 15K RPM SFF HDD	ST300MP0006	CN04
4TB 12G SAS 7.2K RPM LFF HDD	ST4000NM0025	CN05
4TB 12G SAS 7.2K RPM LFF HDD	ST4000NM017A	CN04
4 TB 12G SAS 7.2K RPM LFF HDD	ST4000NM019B	CN03
6TB 12G SAS 7.2K RPM LFF HDD (4K)	ST6000NM0105	CK05
6TB 12G SAS 7.2K RPM LFF HDD (4K)	ST6000NM026B	CK03
600GB 12G SAS 10K RPM SFF HDD	ST600MM0009	CN08
600GB 12G SAS 10K RPM SFF HDD	ST600MM0208	CN02
600GB 12G SAS 10K RPM SFF HDD	ST600MMY009	CN08
600GB 12G SAS 15K RPM SFF HDD	ST600MP0006	CN04
600GB 12G SAS 15K RPM SFF HDD	ST600MP0025	NF04
600GB 12G SAS 15K RPM SFF HDD (SED)	ST600MP0026	CF04
900GB 12G SAS 15K RPM SFF HDD	ST900MP0006	CN04
14TB 12G SAS 7.2K RPM LFF HDD(4K)	WUH721414AL4200	A2W0
14TB 4Kn SAS He14 7200RPM LFF HDD ISE	WUH721814AL4200	A8C2
16TB 12G SAS 7.2K RPM LFF HDD (4K)	WUH721816AL4200	A8C2

HDD / SSD Description	Model	Latest Firmware
18TB 12G SAS 7.2K RPM LFF HDD (4K)	WUH721818AL4200	A8C2
18TB 12G SAS 7.2K RPM LFF HDD (4K) (SED-FIPS)	WUH721818AL4205	D8C2
12TB 12G SAS 7.2K RPM LFF HDD (4K)	WUH722012CL4200	AD30
14TB 4Kn SAS He14 7200RPM 3.5" LFF HDD ISE	WUH722014CL4200	AD30
16TB 12G SAS 7.2K RPM LFF HDD(4K)	WUH722016CL4200	AD30
18TB 12G SAS 7.2K RPM LFF HDD(4K)	WUH722018CL4200	AD30
18TB 12G SAS 7.2K RPM LFF HDD (4K) (SED-FIPS)	WUH722018CL4205	DD30
20TB 12G SAS 7.2K RPM LFF HDD(4K)	WUH722020BL4200	A540
20TB 12G SAS 7.2K RPM LFF HDD(4K)	WUH722020CL4200	AD30
22TB 12G SAS 7.2K RPM LFF HDD(4K)	WUH722222AL4200	A730
24TB 3.5in 12G SAS 7.2K RPM 4K WD LFF HDD	WUH722424AL4200	AHA2
10TB 12G SAS 7.2K RPM LFF HDD(4K)	WUS721010AL4200	A9M0
1.6TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	XS1600LE70075	CE05
1.6TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	XS1600LE70114	CE02
1.9TB 2.5 inch Enterprise Value 12G SAS SSD	XS1920SE70075	CE05
1.9TB 2.5 inch Enterprise Value 12G SAS SSD	XS1920SE70114	CE02
3.2TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	XS3200LE70075	CE05
3.2TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	XS3200LE70114	CE02
3.8TB 2.5 inch Enterprise Value 12G SAS SSD	XS3840SE70075	CE05
3.8TB 2.5 inch Enterprise Value 12G SAS SSD	XS3840SE70114	CE02
6.4TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	XS6400LE70075	CE05
7.6TB 2.5 inch Enterprise Value 12G SAS SSD	XS7680SE70075	CE05
800GB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	XS800LE70075	CE05
800GB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	XS800LE70114	CE02
960GB 2.5 inch Enterprise Value 12G SAS SSD	XS960SE70075	CE05
960GB 2.5 inch Enterprise Value 12G SAS SSD	XS960SE70114	CE02

HDD Firmware for 6.0(1)

The section contains the HDD firmware for the release 6.0(1):

Table 65: HDD Firmware Update Support

HDD	Model	Latest Firmware
600GB 12G SAS 15K RPM SFF HDD	AL14SXB60EN	5704
900GB 12G SAS 15K RPM SFF HDD	AL14SXB90EN	5704
300GB 12G SAS 10K RPM SFF HDD	AL15SEB030N	5704
600GB 12G SAS 10K RPM SFF HDD	AL15SEB060N	5704
1.2TB 12G SAS 10K RPM SFF HDD	AL15SEB120N	5704
1.8TB 12G SAS 10K RPM SFF HDD (4K)	AL15SEB18EP	5704
2.4TB 12G SAS 10K RPM SFF HDD (4K)	AL15SEB24EP	5704
12TB 12G SAS 7.2K RPM LFF HDD (4K)	HUH721212AL4200	A630
12TB 7.2krpm LFF HDD 4K format SED	HUH721212AL4205	D630
4TB 12G SAS 7.2K RPM LFF HDD	HUS726T4TALS200	A40K
6TB 12G SAS 7.2K RPM LFF HDD (4K)	HUS726T6TAL4200	A40K
6TB 7.2krpm LFF HDD (4K format, SED)	HUS726T6TAL4205	D40K
8TB 3.5in 12G SAS 7.2K RPM 4K WD LFF HDD	HUS728T8TAL4200	A9GH
3.8TB 2.5 inch Enterprise value 12G SAS SSD (1DWPD, SED-FIPS)	KPM7WRUG3T84	0104
7.6TB 2.5 inch Enterprise value 12G SAS SSD (1DWPD, SED-FIPS)	KPM7WRUG7T68	0104
1.6TB 2.5 inch Enterprise performance 12G SAS SSD (3DWPD, SED-FIPS)	KPM7WVUG1T60	0104
15.3TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG15T3	0104
1.9TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG1T92	0104
3.8TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG3T84	0104
7.6TB 2.5 inch Enterprise Value 12G SAS SSD	KPM7XRUG7T68	0104
1.6TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	KPM7XVUG1T60	0104
3.2TB 2.5in Enterprise Performance 12G SAS SSD(3X endurance)	KPM7XVUG3T20	0104
4TB 12G SAS 7.2K RPM LFF HDD	MG04SCA40EN	5705
6TB 12G SAS 7.2K RPM LFF HDD (4K)	MG04SCA60EA	5705
6TB 12G SAS 7.2K RPM LFF HDD (4K)	MG06SCA600A	5705

HDD	Model	Latest Firmware
14TB 12G SAS 7.2K RPM LFF HDD(4K)	MG07SCA14TAY	5702
4 TB 12G SAS 7.2K RPM LFF HDD	MG08SDA400NY	5703
6TB 12G SAS 7.2K RPM LFF HDD (4K)	MG08SDA600AY	5703
8 TB 12G SAS 7.2K RPM LFF HDD (4K)	MG08SDA800AY	5703
14TB 12G SAS 7.2K RPM LFF HDD(4K)	MG09SCA14TAY	5701
16TB 12G SAS 7.2K RPM LFF HDD(4K)	MG09SCA16TAY	5701
20TB 12G SAS 7.2K RPM LFF HDD(4K)	MG10SCA20TAY	5703
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TCC	D0MH077
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TDN	D1MH031
1.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T6TDT	D3MC000
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TBY	D0MH077
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TDC	D1MH031
1.9TB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK1T9TDN	D1MH031
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TDS	D3MC000
1.9TB Enterprise value SATA SSD (1X , SED)	MTFDDAK1T9TDS_SED	D3MC000
1.9TB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK1T9TDT	D3MC000
1.9TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK1T9TGA	D4CS000
1.9TB 2.5in Enterprise performance 6G SATA SSD(3X endurance)	MTFDDAK1T9TGB	D4CS000
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TCB	D0MH077
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TDS	D3MC000
240GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK240TGA	D4CS000
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TBY	D0MH447
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TDC	D1MH431
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TDS	D3MC000
3.8TB Enterprise value SATA SSD (1X, SED)	MTFDDAK3T8TDS_SED	D3MC000
3.8TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK3T8TGA	D4CS000
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TCB	D0MH077
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TDC	D1MH031
480GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK480TDN	D1MH031

HDD	Model	Latest Firmware
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TDS	D3MC000
480GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK480TDT	D3MC000
480GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK480TGA	D4CS000
480GB 2.5in Enterprise performance 6G SATA SSD(3X endurance)	MTFDDAK480TGB	D4CS000
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TBY	D0MH847
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TDC	D1MH831
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TDS	D3MC000
7.6TB Enterprise value SATA SSD (1X, SED)	MTFDDAK7T6TDS_SED	D3MC000
7.6TB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK7T6TGA	D4CS000
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TCB	D0MH077
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TDC	D1MH031
960GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	MTFDDAK960TDN	D1MH031
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TDS	D3MC000
960GB Enterprise value SATA SSD (1X , SED)	MTFDDAK960TDS_SED	D3MC000
960GB 2.5in Enterprise performance 6G SATA SSD (3X endurance)	MTFDDAK960TDT	D3MC000
960GB 2.5 inch Enterprise Value 6G SATA SSD	MTFDDAK960TGA	D4CS000
960GB Enterprise Value SATA SSD (1X , SED)	MTFDDAK960TGA_SED	D4CS001